

Package ‘jshintr’

May 8, 2026

Type Package

Title Lint 'JavaScript' Files

Version 0.1.0

Maintainer Stéphane Laurent <laurent_step@outlook.fr>

Description Allow to run 'jshint' on 'JavaScript' files with a 'R' command or a 'RStudio' addin. The report appears in the 'RStudio' viewer pane.

License GPL-3

URL <https://github.com/stla/jshintr>

BugReports <https://github.com/stla/jshintr/issues>

Imports htmltools, htmlwidgets, rstudioapi, tools

Encoding UTF-8

RoxygenNote 7.2.0

NeedsCompilation no

Author Stéphane Laurent [aut, cre],
Anton Kovalyov [cph] ('jshint' library)

Repository CRAN

Date/Publication 2022-06-10 14:40:02 UTC

Contents

jshintr	2
Index	3

jshintr

Lint a Javascript file

Description

HTML widget which runs 'jshint' on the given JavaScript file.

Usage

```
jshintr(filepath, width = NULL, height = "auto", elementId = NULL)
```

Arguments

filepath	path to a JavaScript file
width, height	dimensions (CSS properties)
elementId	a HTML id for the widget (usually useless)

Value

A htmlwidget object.

Note

You can also run this widget as a RStudio addin.

Examples

```
jsfile <- system.file("jsexample.js", package = "jshintr")  
cat(readLines(jsfile), sep = "\n")  
jshintr(jsfile)
```

Index

jshintr, [2](#)