

# Package ‘letsHerp’

May 8, 2026

**Title** An Interface to the Reptile Database

**Version** 0.1.0

**URL** <https://github.com/joao-svalencar/letsHerp>

**BugReports** <https://github.com/joao-svalencar/letsHerp/issues>

**Description** Provides tools to retrieve and summarize taxonomic information and synonymy data for reptile species using data scraped from The Reptile Database website (<<https://reptile-database.reptarium.cz/>>). Outputs include clean and structured data frames useful for ecological, evolutionary, and conservation research.

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**Imports** dplyr, httr, parallel, pbapply, pbmcapply, rvest, stringr, tidyrr, utils, xml2

**Depends** R (>= 3.5)

**LazyData** true

**Suggests** knitr, rmarkdown, testthat (>= 3.0.0)

**VignetteBuilder** knitr

**Config/testthat/edition** 3

**NeedsCompilation** no

**Author** João Paulo dos Santos Vieira-Alencar [aut, cre] (ORCID: <<https://orcid.org/0000-0001-6894-6773>>),  
Christoph Liedtke [aut] (ORCID: <<https://orcid.org/0000-0002-6221-8043>>)

**Maintainer** João Paulo dos Santos Vieira-Alencar <[joaopaulo.valencar@gmail.com](mailto:joaopaulo.valencar@gmail.com)>

**Repository** CRAN

**Date/Publication** 2025-06-23 10:30:02 UTC

## Contents

allReptiles . . . . .	2
allSynonyms . . . . .	3
allSynonymsRef . . . . .	3
herpAdvancedSearch . . . . .	4
herpSearch . . . . .	5
herpSpecies . . . . .	6
herpSync . . . . .	7
herpSynonyms . . . . .	9

<b>Index</b>	<b>11</b>
--------------	-----------

---

allReptiles	<i>Example dataset: allReptiles</i>
-------------	-------------------------------------

---

### Description

This dataset contains the valid names and url addresses for all reptile species cataloged in The Reptile Database.

### Usage

allReptiles

### Format

A dataframe (download: May 23th, 2025) with 12440 rows and 8 variables:

**order** A species current order

**suborder** A species current suborder

**family** A species current family

**genus** A species current genus

**species** A character vector with known current valid name for all reptile species cataloged in The Reptile Database website

**year** A species description year

**author** The authors that described the species under the current valid name

**url** A character column with the respective url to access all reptile species cataloged in The Reptile Database website information

### Source

The data was sampled from The Reptile Database website <https://reptile-database.reptarium.cz> using function `letsHerp::herpSpecies()` with the url obtained from an 'Advanced search' set to exclude all reptile species described to the fictional planet Arrakis (-Arrakis).

---

allSynonyms

*Example dataset: allSynonyms*

---

### Description

This dataset contains the valid names and respective listed synonyms for all reptile species cataloged in The Reptile Database.

### Usage

allSynonyms

### Format

A dataframe with 53,159 rows and 2 variables:

**species** A character vector with known current valid name for all reptile species cataloged in The Reptile Database website (download: May 23rd, 2025)

**synonym** A character column with the respective synonyms for all reptile species cataloged in The Reptile Database website information (download: May 23rd, 2025)

### Source

The data was sampled from The Reptile Database website <https://reptile-database.reptarium.cz> using function `letsHerp::herpSynonyms(letsHerp::allReptiles)`

---

allSynonymsRef

*Example dataset: allSynonymsRef*

---

### Description

This dataset contains the valid names and respective listed synonyms for all reptile species cataloged in The Reptile Database.

### Usage

allSynonymsRef

### Format

A dataframe with 110,413 rows and 3 variables:

**species** A character vector with known current valid name for all reptile species cataloged in The Reptile Database website (download: May 23rd, 2025)

**synonym** A character column with the respective synonyms for all reptile species cataloged in The Reptile Database website information (download: May 23rd, 2025)

**ref** A character column with the synonyms and respective references that used it

**Source**

The data was sampled from The Reptile Database website <https://reptile-database.reptarium.cz> using function `letsHerp::herpSynonyms(letsHerp::allReptiles)`

---

herpAdvancedSearch      *Search The Reptile Database website (RDB): Advanced*

---

**Description**

Creates a search URL for retrieving species lists from RDB based on multiple filters. This URL is primarily used by [herpSpecies](#), but can also be used manually for advanced queries.

If a synonym is provided and can be unambiguously matched to a valid species, the function also prints detailed information for that species.

**Usage**

```
herpAdvancedSearch(higher=NULL,
                   genus=NULL,
                   year=NULL,
                   common_name=NULL,
                   synonym=NULL,
                   location=NULL)
```

**Arguments**

higher	Character string. A higher-level reptile taxon above genus (e.g., "snakes" or "Boidae").
genus	Character string. The current valid name of a reptile genus (e.g., "Apostolepis").
year	Character string. Filters the search by year of species description (e.g., "2025").
common_name	Character string. A common name potentially linked to a species or genus (e.g., "tree boa").
synonym	Character string. A name potentially regarded as a synonym of a valid taxon (e.g., "Boa diviniloqua").
location	Character string. A country or region name used to list species expected to occur there.

**Value**

A character string containing the URL to be used in [herpSpecies](#).

If a provided synonym corresponds unambiguously to a valid species, the function also prints species information retrieved from RDB to the console.

**Note**

This function does not automatically quote input values. If you want to force an exact match (e.g., "Boa" as a phrase), you must manually include quotes in the input string, e.g., "\"Boa\"".

Logical operators (e.g., OR, AND) are supported and will be properly formatted in the search. To exclude terms, use a leading minus sign (e.g., higher = "-snakes") following RDB's query syntax, instead of using NOT.

When a synonym is matched to a single valid species, the function will also display the species' full information as a side effect.

**Examples**

```
herpAdvancedSearch(higher = "snakes", year = "2010", location = "Brazil")
herpAdvancedSearch(year = "2010 OR 2011 OR 2012")
herpAdvancedSearch(genus = "Apostolepis OR \"Boa\" OR Atractus") #quotes "Boa"
```

---

herpSearch	<i>Search for a Single Reptile Species in The Reptile Database (RDB)</i>
------------	--

---

**Description**

Queries The Reptile Database (RDB) for information about a single reptile species using its binomial name.

**Usage**

```
herpSearch(binomial=NULL, ref=FALSE, verbose=TRUE)
```

**Arguments**

binomial	Character string. The valid binomial name of a reptile species (e.g., "Boa constrictor").
ref	Logical. If TRUE, returns the list of references from RDB associated with the species. Default is FALSE.
verbose	Logical. If TRUE, prints species information in the console. Default is TRUE.

**Value**

A list containing species information retrieved from The Reptile Database. If ref = TRUE, returns references related to the species.

**References**

Uetz, P., Freed, P., & Hošek, J. (Eds.). (2025). The Reptile Database. Retrieved from <http://www.reptile-database.org>

**See Also**

[herpSynonyms](#), [herpSpecies](#) for related species data functions.

**Examples**

```
herpSearch("Boa constrictor")
herpSearch("Boa constrictor", ref = TRUE)
```

---

 herpSpecies
 

---



---

*Retrieve Reptile Species and Taxonomic Information from RDB*


---

**Description**

Retrieves a list of reptile species from The Reptile Database (RDB) based on a search URL, and optionally returns detailed taxonomic information for each species. This function can also save progress to disk during sampling and extract species-specific URLs for further use.

**Usage**

```
herpSpecies(url,
            showProgress = TRUE,
            dataList = NULL,
            taxonomicInfo=FALSE,
            fullHigher=FALSE,
            getLink=FALSE,
            cores = max(1, parallel::detectCores() - 1),
            checkpoint = NULL,
            backup_file = NULL
            )
```

**Arguments**

url	Character string. A search URL generated via an advanced search on the RDB website or with <a href="#">herpAdvancedSearch</a> .
showProgress	Logical. If TRUE, prints sampling progress in the console. Default is FALSE.
dataList	Optional. A data frame with columns species and url, used to extract taxonomic information from previously sampled species links.
taxonomicInfo	Logical. If TRUE, returns taxonomic information for each species, including order, suborder, family, genus, author, and year. Default is FALSE.
fullHigher	Logical. If TRUE, includes the full higher taxonomic hierarchy as reported by RDB (e.g., including subfamilies). Requires taxonomicInfo = TRUE. Default is FALSE.
getLink	Logical. If TRUE, includes the RDB URL for each species (useful for follow-up functions like <a href="#">herpSynonyms</a> ). Default is FALSE.

cores	Integer. Number of CPU cores to use for parallel processing. Default is one less than the number of available cores.
checkpoint	Optional. Integer specifying the number of species to process before saving a temporary backup. Backup is only saved if cores = 1. If set to 1, saves progress after each species (safest but slowest).
backup_file	Optional. Character string specifying the path to an .rds file for saving intermediate results when checkpoint is set. Must end in .rds.

**Value**

If taxonomicInfo = FALSE (default), returns a character vector of species names.

If taxonomicInfo = TRUE, returns a data frame with columns: order, suborder (if available), family, genus, species, author, and year.

If fullHigher = TRUE, includes an additional column with the full higher taxa classification.

If getLink = TRUE, includes a column with the URL for each species' page on RDB.

**Note**

If checkpoint is used, progress will only be saved when cores = 1. This prevents potential write conflicts in parallel mode.

**See Also**

[herpAdvancedSearch](#), [herpSynonyms](#), [herpSearch](#)

**Examples**

```
boa <- herpSpecies(herpAdvancedSearch(genus = "Boa"),
                  taxonomicInfo = TRUE,
                  cores = 2)
```

---

 herpSync

*Synchronize species names using synonym reference table*

---

**Description**

Compares a user-provided list of reptile taxon names against a synonym table from The Reptile Database and returns an updated list of valid names. Particularly useful to standardize names before analyses or when integrating heterogeneous taxonomic sources.

Supports interactive disambiguation in cases where multiple valid names are found for a given synonym. Optionally, unmatched names can be retained or returned as blank.

**Usage**

```
herpSync(query, synonym, interactive = FALSE, return.no.matches = FALSE)
```

**Arguments**

query	A character vector of taxon names to be processed (e.g., species list, phylogenetic tip labels, or trait table entries).
synonym	A data frame with a synonym reference table (e.g., output from <a href="#">herpSynonyms</a> ). If not provided, the function uses the internal dataset <code>letsHerp::allSynonyms</code> , which may not be the most up-to-date.
interactive	Logical. If TRUE, the function allows real-time selection when a synonym matches multiple valid names. If FALSE (default), all possible matches are returned as concatenated strings.
return.no.matches	Logical. If TRUE, species not found in the synonym table will be returned as originally provided in the query. If FALSE (default), unmatched entries will be left blank.

**Value**

A data frame with the following columns:

- input: original input names from the query.
- stripped: standardized versions of the input names (e.g., without authors or formatting).
- status: description of the outcome (e.g., "updated", "not found", "multiple matches").
- updated: best-matching valid names according to the synonym table.

**Note**

The internally stored synonym table `letsHerp::allSynonyms` was last updated on May 23rd, 2025.

**References**

Liedtke, H. C. (2018). AmphiNom: an amphibian systematics tool. *Systematics and Biodiversity*, 17(1), 1–6. <https://doi.org/10.1080/14772000.2018.1518935>

**Examples**

```
boa_syn <- letsHerp::allSynonyms[grepl("^Boa\\s", allSynonyms$species), ]
query <- c("Vieira-Alencar authoristicus", "Boa atlantica", "Boa diviniloqua", "Boa imperator")
herpSync(query, boa_syn)
```

---

 herpSynonyms

*Retrieve Synonyms for Reptile Species from RDB*


---

### Description

Retrieves a data frame containing the current valid names of reptile species along with all their recognized synonyms, as listed in The Reptile Database (RDB). Optionally, the references citing each synonym can also be included.

### Usage

```
herpSynonyms(x,
             getRef = FALSE,
             showProgress = TRUE,
             checkpoint = NULL,
             backup_file = NULL,
             resume = FALSE,
             cores = max(1, parallel::detectCores() - 1))
```

### Arguments

x	A data frame with columns <code>species</code> and <code>url</code> , typically the output of <code>herpSpecies</code> with <code>getLink = TRUE</code> .
getRef	Logical. If TRUE, includes the reference(s) in which each synonym was mentioned. Default is FALSE.
showProgress	Logical. If TRUE, prints data sampling progress. Default is TRUE.
checkpoint	Optional. Integer specifying the number of species to process before saving a temporary backup. Backup is only saved if <code>cores = 1</code> . If set to 1, saves progress after each species (safest but slowest).
backup_file	Optional. Character string specifying the path to an <code>.rds</code> file used to save or resume intermediate results. Required if using <code>checkpoint</code> or <code>resume</code> .
resume	Logical. If TRUE, resumes sampling from a previous run using the file provided in <code>backup_file</code> . Only works when <code>cores = 1</code> .
cores	Integer. Number of CPU cores to use for parallel processing. Default is one less than the total available cores.

### Value

A data frame with columns:

- `species`: The valid species name according to RDB.
- `synonym`: A recognized synonym for the species.
- `reference` (optional): If `getRef = TRUE`, the citation where the synonym was reported.

**Note**

To enable safe resuming or backup progress saving, set `cores = 1`. Parallel processing does not support backups.

**References**

Uetz, P., Freed, P., Aguilar, R., Reyes, F., Kudera, J., & Hošek, J. (eds.) (2025). The Reptile Database. Retrieved from <http://www.reptile-database.org> Liedtke, H. C. (2018). Amphinom: an amphibian systematics tool. *Systematics and Biodiversity*, 17(1), 1–6. doi:10.1080/14772000.2018.1518935

**See Also**

[herpSpecies](#), [herpAdvancedSearch](#)

**Examples**

```
# Filter species belonging to genus Boa
boa <- letsHerp::allReptiles[grepl("^Boa\\s", letsHerp::allReptiles$species), ]

# Retrieve synonyms (without references)
boa_syn <- herpSynonyms(boa, getRef = FALSE, cores = 2)
```

# Index

## \* datasets

allReptiles, [2](#)

allSynonyms, [3](#)

allSynonymsRef, [3](#)

[allReptiles, 2](#)

[allSynonyms, 3](#)

[allSynonymsRef, 3](#)

[herpAdvancedSearch, 4, 6, 7, 10](#)

[herpSearch, 5, 7](#)

[herpSpecies, 4, 6, 6, 9, 10](#)

[herpSync, 7](#)

[herpSynonyms, 6–8, 9](#)