

Package ‘mlogit’

June 2, 2026

Version 2.0-0

Date 2026-05-27

Title Multinomial Logit Models

Depends R (>= 3.5.0)

Imports Formula, lmtree, Rdpack, dfix, micsr, numDeriv

Suggests knitr, car, nnet, lattice, AER, ggplot2, quarto, dplyr

Description Maximum likelihood estimation of random utility discrete choice models. The software is described in Croissant (2020) <[doi:10.18637/jss.v095.i11](https://doi.org/10.18637/jss.v095.i11)> and the underlying methods in Train (2009) <[doi:10.1017/CBO9780511805271](https://doi.org/10.1017/CBO9780511805271)>.

VignetteBuilder quarto

Encoding UTF-8

License GPL (>= 2)

URL <https://cran.r-project.org/package=mlogit>

RoxygenNote 7.3.3

LazyData true

RdMacros Rdpack

NeedsCompilation no

Author Yves Croissant [aut, cre]

Maintainer Yves Croissant <yves.croissant@univ-reunion.fr>

Repository CRAN

Date/Publication 2026-06-02 06:10:03 UTC

Contents

Car	2
Catsup	3
cor.mlogit	4
Cracker	4

distribution	5
effects.mlogit	7
Electricity	8
Fishing	9
Game	10
has.intercept	11
HC	11
Heating	12
hmfest	13
JapaneseFDI	14
logsum	15
mlogit	16
mlogit-deprecated	21
mlogit.optim	23
Mode	25
ModeCanada	26
model.matrix.dfdx_mlogit	27
NOx	27
plot.mlogit	28
preds	29
residuals.mlogit	30
RiskyTransport	31
rpar	33
slps	34
three.tests	35
Train	36
vcov.mlogit	37

Index **39**

Car *Stated Preferences for Car Choice*

Description

a sample of 4654 individuals

Format

A dataframe containing :

- choice: choice of a vehicule among 6 propositions,
- college: college education?,
- hsg2: size of household greater than 2?
- com15: commulte lower than 5 miles a day?,
- typez: body type, one of regcar (regular car), sportuv (sport utility vehicule), sportcar, stwagon (station wagon), truck, van, for each proposition z from 1 to 6,

- fuelz: fuel for proposition z, one of gasoline, methanol, cng (compressed natural gas), electric.,
- pricez: price of vehicule divided by the logarithme of income,
- rangez: hundreds of miles vehicule can travel between refuelings/rechargings,
- accz: acceleration, tens of seconds required to reach 30 mph from stop,
- speedz: highest attainable speed in hundreds of mph,
- pollutionz: tailpipe emissions as fraction of those for new gas vehicule,
- sizez: 0 for a mini, 1 for a subcompact, 2 for a compact and 3 for a mid-size or large vehicule,
- spacez: fraction of luggage space in comparable new gas vehicule,
- costz: cost per mile of travel (tens of cents) : home recharging for electric vehicule, station refueling otherwise,
- stationz: fraction of stations that can refuel/recharge vehicule.

Source

[Journal of Applied Econometrics data archive.](#)

References

McFadden D, Train K (2000). “Mixed MNL Models for Discrete Response.” *Journal of Applied Econometrics*, **15**(5), 447–470. ISSN 08837252, 10991255.

Catsup

Choice of Brand for Catsup

Description

a sample of 2798 individuals

Format

A dataframe containing :

- id: individuals identifiers,
- choice: one of heinz41, heinz32, heinz28, hunts32,
- disp.z: is there a display for brand z ?
- feat.z: is there a newspaper feature advertisement for brand z?
- price.z: price of brand z.

Source

[Journal of Business Economics and Statistics web site.](#)

References

Jain DC, Vilcassim NJ, Chintagunta PK (1994). “A Random-Coefficients Logit Brand-Choice Model Applied to Panel Data.” *Journal of Business & Economic Statistics*, **12**(3), 317-328.

`cor.mlogit` *Correlation structure of the random parameters*

Description

Functions that extract the correlation structure of a mlogit object

Usage

```
cor.mlogit(x)
```

```
cov.mlogit(x)
```

Arguments

`x` an mlogit object with random parameters and correlation = TRUE.

Details

These functions are deprecated, use [vcov](#). instead.

Value

A numerical matrix which returns either the correlation or the covariance matrix of the random parameters.

Author(s)

Yves Croissant

`Cracker` *Choice of Brand for Crakers*

Description

a sample of 3292 individuals cross-section

Format

A dataframe containing :

- `id`: individuals identifiers,
- `choice`: one of sunshine, keebler, nabisco, private,
- `disp.z`: is there a display for brand z?
- `feat.z`: is there a newspaper feature advertisement for brand z?
- `price.z`: price of brand z.

Source

[Journal of Business Economics and Statistics web site.](#)

References

Jain DC, Vilcassim NJ, Chintagunta PK (1994). "A Random-Coefficients Logit Brand-Choice Model Applied to Panel Data." *Journal of Business & Economic Statistics*, **12**(3), 317-328.

Paap R, Franses PH (2000). "A dynamic multinomial probit model for brand choice with different long-run and short-run effects of marketing-mix variables." *Journal of Applied Econometrics*, **15**(6), 717-744.

distribution	<i>Functions used to describe the characteristics of estimated random parameters</i>
--------------	--

Description

Functions used to describe the characteristics of estimated random parameters

Usage

```
stdev(x, ...)  
  
rg(x, ...)  
  
med(x, ...)  
  
## S3 method for class 'rpar'  
mean(x, norm = NULL, ...)  
  
## S3 method for class 'rpar'  
med(x, norm = NULL, ...)  
  
## S3 method for class 'rpar'  
stdev(x, norm = NULL, ...)  
  
## S3 method for class 'rpar'  
rg(x, norm = NULL, ...)  
  
## S3 method for class 'mlogit'  
mean(x, par = NULL, norm = NULL, ...)  
  
## S3 method for class 'mlogit'  
med(x, par = NULL, norm = NULL, ...)  
  
## S3 method for class 'mlogit'
```

```

stdev(x, par = NULL, norm = NULL, ...)

## S3 method for class 'mlogit'
rg(x, par = NULL, norm = NULL, ...)

qrpar(x, ...)

prpar(x, ...)

drpar(x, ...)

## S3 method for class 'rpar'
qrpar(x, norm = NULL, ...)

## S3 method for class 'rpar'
prpar(x, norm = NULL, ...)

## S3 method for class 'rpar'
drpar(x, norm = NULL, ...)

## S3 method for class 'mlogit'
qrpar(x, par = 1, y = NULL, norm = NULL, ...)

## S3 method for class 'mlogit'
prpar(x, par = 1, y = NULL, norm = NULL, ...)

## S3 method for class 'mlogit'
drpar(x, par = 1, y = NULL, norm = NULL, ...)

```

Arguments

<code>x</code>	a <code>mlogit</code> or a <code>rpar</code> object,
<code>...</code>	further arguments.
<code>norm</code>	the variable used for normalization if any : for the <code>mlogit</code> method, this should be the name of the parameter, for the <code>rpar</code> method the absolute value of the parameter,
<code>par</code>	the required parameter(s) for the <code>mlogit</code> methods (either the name or the position of the parameter(s)). If <code>NULL</code> , all the random parameters are used.
<code>y</code>	values for which the function has to be evaluated,

Details

`rpar` objects contain all the relevant information about the distribution of random parameters. These functions enables to obtain easily descriptive statistics, density, probability and quantiles of the distribution.

`mean`, `med`, `stdev` and `rg` compute respectively the mean, the median, the standard deviation and the range of the random parameter. `qrpar`, `prpar`, `drpar` return functions that compute the quantiles,

the probability and the density of the random parameters (note that `sd` and `range` are not generic function in R and that `median` is, but without `...`).

Value

a numeric vector for `qrpar`, `drpar` and `prpar`, a numeric vector for `mean`, `stdev` and `med` and a numeric matrix for `rg`.

Author(s)

Yves Croissant

See Also

`mlogit()` for the estimation of random parameters logit models and `rpar()` for the description of `rpar` objects.

effects.mlogit	<i>Marginal effects of the covariates</i>
----------------	---

Description

The `effects` method for `mlogit` objects computes the marginal effects of the selected covariate on the probabilities of choosing the alternatives

Usage

```
## S3 method for class 'mlogit'
effects(
  object,
  covariate = NULL,
  type = c("aa", "ar", "rr", "ra"),
  data = NULL,
  ...
)
```

Arguments

<code>object</code>	a <code>mlogit</code> object,
<code>covariate</code>	the name of the covariate for which the effect should be computed,
<code>type</code>	the effect is a ratio of two marginal variations of the probability and of the covariate ; these variations can be absolute "a" or relative "r". This argument is a string that contains two letters, the first refers to the probability, the second to the covariate,
<code>data</code>	a <code>data.frame</code> containing the values for which the effects should be calculated. The number of lines of this <code>data.frame</code> should be equal to the number of alternatives,
<code>...</code>	further arguments.

Value

If the covariate is alternative specific, a $J \times J$ matrix is returned, J being the number of alternatives. Each line contains the marginal effects of the covariate of one alternative on the probability to choose any alternative. If the covariate is individual specific, a vector of length J is returned.

Author(s)

Yves Croissant

See Also

[mlogit\(\)](#) for the estimation of multinomial logit models.

Examples

```
data("Fishing", package = "mlogit")
Fish <- dfidx(Fishing, varying = 2:9, choice = "mode")
m <- mlogit(mode ~ price | income | catch, data = Fish)
# compute a data.frame containing the mean value of the covariates in
# the sample
z <- with(Fish, data.frame(price = tapply(price, idx(m, 2), mean),
                           catch = tapply(catch, idx(m, 2), mean),
                           income = mean(income)))
# compute the marginal effects (the second one is an elasticity
## IGNORE_RDIFF_BEGIN
effects(m, covariate = "income", data = z)
## IGNORE_RDIFF_END
effects(m, covariate = "price", type = "rr", data = z)
effects(m, covariate = "catch", type = "ar", data = z)
```

Electricity

Stated preference data for the choice of electricity suppliers

Description

A sample of 2308 households in the United States

Format

A dataframe containing :

- choice: the choice of the individual, one of 1, 2, 3, 4,
- id: the individual index,
- pfi: fixed price at a stated cents per kWh, with the price varying over suppliers and experiments, for scenario $i=(1, 2, 3, 4)$,

- cli: the length of contract that the supplier offered, in years (such as 1 year or 5 years.) During this contract period, the supplier guaranteed the prices and the buyer would have to pay a penalty if he/she switched to another supplier. The supplier could offer no contract in which case either side could stop the agreement at any time. This is recorded as a contract length of 0,
- loci: is the supplier a local company,
- wki: is the supplier a well-known company,
- tod: a time-of-day rate under which the price is 11 cents per kWh from 8am to 8pm and 5 cents per kWh from 8pm to 8am. These TOD prices did not vary over suppliers or experiments: whenever the supplier was said to offer TOD, the prices were stated as above.
- seasi: a seasonal rate under which the price is 10 cents per kWh in the summer, 8 cents per kWh in the winter, and 6 cents per kWh in the spring and fall. Like TOD rates, these prices did not vary. Note that the price is for the electricity only, not transmission and distribution, which is supplied by the local regulated utility.

Source

[Kenneth Train's home page.](#)

References

Huber J, Train K (2000). "On the Similarity of Classical and Bayesian Estimates of Individual Mean Partworths." *Marketing Letters*, **12**, 259–269.

Revelt D, Train K (2001). "Customer-Specific Taste Parameters and Mixed Logit: Households' Choice of Electricity Supplier." *Econometrics 0012001*, University Library of Munich, Germany. <https://ideas.repec.org/p/wpa/wuwpem/0012001.html>.

Fishing

Choice of Fishing Mode

Description

A sample of 1182 individuals in the United-States for the choice of 4 alternative fishing modes.

Format

A dataframe containing :

- mode: recreation mode choice, one of : beach, pier, boat and charter,
- price.beach: price for beach mode
- price.pier: price for pier mode,
- price.boat: price for private boat mode,
- price.charter: price for charter boat mode,
- catch.beach: catch rate for beach mode,

- catch.pier: catch rate for pier mode,
- catch.boat: catch rate for private boat mode,
- catch.charter: catch rate for charter boat mode,
- income: monthly income,

Source

Cameron A, Trivedi P (2005). *Microeconometrics*. Cambridge University Press. doi:10.1017/CBO9780511811241.

References

Herriges JA, Kling CL (1999). "Nonlinear Income Effects in Random Utility Models." *The Review of Economics and Statistics*, **81**(1), 62-72. doi:10.1162/003465399767923827, https://doi.org/10.1162/003465399767923827

Game

Ranked data for gaming platforms

Description

A sample of 91 Dutch individuals

Format

A dataframe containing :

- ch.Platform: where platform is one of Xbox, PlayStation, PSPortable, GameCube, GameBoy and PC. This variables contain the ranking of the platforms from 1 to 6,
- own.Platform: these 6 variables are dummies which indicate whether the given platform is already owned by the respondent,
- age: the age of the respondent,
- hours: hours per week spent on gaming.,

Details

The data are also provided in long format (use in this case data(Game2)). In this case, the alternative and the choice situation are respectively indicated in the platform and chid variables.

Source

[Journal of Applied Econometrics data archive.](#)

References

Fok D, Paap R, Van Dijk B (2012). "A Rank-Ordered Logit Model With Unobserved Heterogeneity In Ranking Capabilities." *Journal of Applied Econometrics*, **27**(5), 831-846. doi:10.1002/jae.1223, https://onlinelibrary.wiley.com/doi/pdf/10.1002/jae.1223.

has.intercept	<i>Indicates whether the formula contains an intercept</i>
---------------	--

Description

This is a generic which provide convenient methods for formula/Formula object and for specific fitted models

Usage

```
has.intercept(object, ...)

## Default S3 method:
has.intercept(object, ...)

## S3 method for class 'formula'
has.intercept(object, ...)

## S3 method for class 'Formula'
has.intercept(object, rhs = NULL, ...)

## S3 method for class 'mlogit'
has.intercept(object, ...)
```

Arguments

object	the object
...	further arguments
rhs	for the Formula method the rhs for which one wants to know if there is an intercept may be specified

Author(s)

Yves Croissant

HC	<i>Heating and Cooling System Choice in Newly Built Houses in California</i>
----	--

Description

A sample of 250 Californian households

Format

A dataframe containing :

- depvar: heating system, one of gcc (gas central heat with cooling), ecc (electric central resistance heat with cooling), erc (electric room resistance heat with cooling), hpc (electric heat pump which provides cooling also), gc (gas central heat without cooling), ec (electric central resistance heat without cooling), er (electric room resistance heat without cooling),
- ich.z: installation cost of the heating portion of the system,
- icca: installation cost for cooling,
- och.z: operating cost for the heating portion of the system,
- occa: operating cost for cooling,
- income: annual income of the household.

Source

[Kenneth Train's home page.](#)

Heating

Heating System Choice in California Houses

Description

A sample of 900 Californian households#'

Format

A dataframe containing:

- idcase: id,
- depvar: heating system, one of gc (gas central), gr (gas room), ec (electric central), er (electric room), hp (heat pump),
- ic.z: installation cost for heating system z (defined for the 5 heating systems),
- oc.z: annual operating cost for heating system z (defined for the 5 heating systems),
- pb.z: ratio $oc.z/ic.z$,
- income: annual income of the household,
- agehed: age of the household head
- rooms: numbers of rooms in the house,

Source

[Kenneth Train's home page.](#)

hmfctest	<i>Hausman-McFadden Test</i>
----------	------------------------------

Description

Test the IIA hypothesis (independence of irrelevant alternatives) for a multinomial logit model.

Usage

```
hmfctest(x, ...)  
  
## S3 method for class 'formula'  
hmfctest(x, alt.subset, ...)  
  
## S3 method for class 'mlogit'  
hmfctest(x, z, ...)
```

Arguments

x	an object of class <code>mlogit</code> or a formula,
...	further arguments passed to <code>mlogit</code> for the formula method.
alt.subset	a subset of alternatives,
z	an object of class <code>mlogit</code> or a subset of alternatives for the <code>mlogit</code> method. This should be the same model as x estimated on a subset of alternatives,

Details

This is an implementation of the Hausman's consistency test for multinomial logit models. If the independence of irrelevant alternatives applies, the probability ratio of every two alternatives depends only on the characteristics of these alternatives. Consequently, the results obtained on the estimation with all the alternatives or only on a subset of them are consistent, but more efficient in the first case. On the contrary, only the results obtained from the estimation on a relevant subset are consistent. To compute this test, one needs a model estimated with all the alternatives and one model estimated on a subset of alternatives. This can be done by providing two objects of class `mlogit`, one object of class `mlogit` and a character vector indicating the subset of alternatives, or a formula and a subset of alternatives.

Value

an object of class "htest".

Author(s)

Yves Croissant

References

Hausman, J.A. and D. McFadden (1984), A Specification Test for the Multinomial Logit Model, *Econometrica*, **52**, pp.1219–1240.

Examples

```
## from Greene's Econometric Analysis p. 731

data("TravelMode", package = "AER")
TravelMode <- mlogit.data(TravelMode, choice = "choice", shape = "long",
                        alt.var = "mode", chid.var = "individual",
                        drop.index = FALSE)

## Create a variable of income only for the air mode

TravelMode$avinc <- with(TravelMode, (mode == 'air') * income)

## Estimate the model on all alternatives, with car as the base level
## like in Greene's book.

x <- mlogit(choice ~ wait + gcost + avinc, TravelMode, relevel = "car")

## Estimate the same model for ground modes only (the variable avinc
## must be dropped because it is 0 for every observation)

g <- mlogit(choice ~ wait + gcost, TravelMode, relevel = "car",
            alt.subset = c("car", "bus", "train"))

## Compute the test

hmfptest(x,g)
```

JapaneseFDI

Japanese Foreign Direct Investment in European Regions

Description

A sample of 452 Japanese production units in Europe #'

Format

A dataframe containing :

- firm: the investment id,
- country: the country,
- region: the region (nuts1 nomenclature),
- choice: a dummy indicating the chosen region ,
- choice.c: the chosen country,

- wage: wage rate in the region,
- unemp: unemployment rate in the region,
- elig: is the country eligible to european subsidies,
- area: the area of the region,
- scrate: social charge rate (country level),
- ctaxrate: corporate tax rate (country level),
- gdp: regional gdp,
- harris: harris' market potential,
- krugman: krugman's market potential,
- domind: domestic industry count,
- japind: japan industry count,
- network: network count.

Source

kindly provided by Thierry Mayer

References

Head K, Mayer T (2004). "Market Potential and the Location of Japanese Investment in the European Union." *The Review of Economics and Statistics*, **86**(4), 959-972. doi:10.1162/0034653043125257, <https://doi.org/10.1162/0034653043125257>.

logsum

Compute the log-sum or inclusive value/utility

Description

The logsum function computes the inclusive value, or inclusive utility, which is used to compute the surplus and to estimate the two steps nested logit model.

Usage

```
logsum(  
  coef,  
  X = NULL,  
  formula = NULL,  
  data = NULL,  
  type = NULL,  
  output = c("chid", "obs")  
)
```

Arguments

coef	a numerical vector or a mlogit object, from which the coef vector is extracted,
X	a matrix or a mlogit object from which the model.matrix is extracted,
formula	a formula or a mlogit object from which the formula is extracted,
data	a data.frame or a mlogit object from which the model.frame is extracted,
type	either "group" or "global" : if a group argument has been provided in the mlogit.data, the inclusive values are by default computed for every group, otherwise, a unique global inclusive value is computed for each choice situation,
output	the shape of the results: if "chid", the results is a vector (if type = "global") or a matrix (if type = "region") with row number equal to the number of choice situation, if "obs" a vector of length equal to the number of lines of the data in long format is returned.

Details

The inclusive value, or inclusive utility, or log-sum is the log of the denominator of the probabilities of the multinomial logit model. If a "group" variable is provided in the "mlogit.data" function, the denominator can either be the one of the multinomial model or those of the lower model of the nested logit model.

If only one argument (coef) is provided, it should a mlogit object and in this case, the coefficients and the model.matrix are extracted from this model.

In order to provide a different model.matrix, further arguments could be used. X is a matrix or a mlogit from which the model.matrix is extracted. The formula-data interface can also be used to construct the relevant model.matrix.

Value

either a vector or a matrix.

Author(s)

Yves Croissant

See Also

[mlogit\(\)](#) for the estimation of a multinomial logit model.

mlogit

Multinomial logit model

Description

Estimation by maximum likelihood of the multinomial logit model, with alternative-specific and/or individual specific variables.

Usage

```

mlogit(
  formula,
  data,
  subset,
  weights,
  na.action,
  start = NULL,
  alt.subset = NULL,
  refllevel = NULL,
  nests = NULL,
  un.nest.el = FALSE,
  unscaled = FALSE,
  heterosc = FALSE,
  rpar = NULL,
  probit = FALSE,
  R = 40,
  correlation = FALSE,
  halton = NULL,
  random.nb = NULL,
  panel = FALSE,
  estimate = TRUE,
  seed = 10,
  hessian = NULL,
  param = NULL,
  ...
)

```

Arguments

formula	a symbolic description of the model to be estimated,
data	the data: a <code>dfidx</code> object or an ordinary <code>data.frame</code> ,
subset	an optional vector specifying a subset of observations for <code>mlogit</code> ,
weights	an optional vector of weights,
na.action	a function which indicates what should happen when the data contains NAs,
start	a vector of starting values,
alt.subset	a vector of character strings containing the subset of alternative on which the model should be estimated,
refllevel	the base alternative (the one for which the coefficients of individual-specific variables are normalized to 0),
nests	a named list of characters vectors, each names being a nest, the corresponding vector being the set of alternatives that belong to this nest,
un.nest.el	a boolean, if TRUE, the hypothesis of unique elasticity is imposed for nested logit models,
unscaled	a boolean, if TRUE, the unscaled version of the nested logit model is estimated,

heterosc	a boolean, if TRUE, the heteroscedastic logit model is estimated,
rpar	a named vector whose names are the random parameters and values the distribution : 'n' for normal, 'ln' for log-normal, 'tn' for truncated normal, cn for censored normal, 'u' for uniform, t for triangular, zbu for zero-bounded uniform and zbt for zero-bounded triangular,
probit	if TRUE, a multinomial probit model is estimated,
R	the number of function evaluation for the gaussian quadrature method used if heterosc = TRUE, the number of draws of pseudo-random numbers if rpar is not NULL,
correlation	only relevant if rpar is not NULL, if true, the correlation between random parameters is taken into account,
halton	only relevant if rpar is not NULL, if not NULL, halton sequence is used instead of pseudo-random numbers. If halton = NA, some default values are used for the prime of the sequence (actually, the primes are used in order) and for the number of elements dropped. Otherwise, halton should be a list with elements prime (the primes used) and drop (the number of elements dropped).
random.nb	only relevant if rpar is not NULL, a user-supplied matrix of random,
panel	only relevant if rpar is not NULL and if the data are repeated observations of the same unit ; if TRUE, the mixed-logit model is estimated using panel techniques,
estimate	a boolean indicating whether the model should be estimated or not: if not, the model.frame is returned,
seed	the seed to use for random numbers (for mixed logit and probit models),
hessian	a boolean, wheter or not to compute the hessian: the default is false
param	a vector of coefficients for which the prediction should be performed
...	further arguments passed to dfix or mlogit.optim.

Details

For how to use the formula argument, see [Formula::Formula\(\)](#).

The data argument may be an ordinary data.frame. In this case, some supplementary arguments should be provided and are passed to [dfix::dfix\(\)](#). Note that it is not necessary to indicate the choice argument as it is deduced from the formula.

The model is estimated using the [mlogit.optim\(\)](#) function.

The basic multinomial logit model and three important extentions of this model may be estimated.

If heterosc=TRUE, the heteroscedastic logit model is estimated. $J - 1$ extra coefficients are estimated that represent the scale parameter for $J - 1$ alternatives, the scale parameter for the reference alternative being normalized to 1. The probabilities don't have a closed form, they are estimated using a gaussian quadrature method.

If nests is not NULL, the nested logit model is estimated.

If rpar is not NULL, the random parameter model is estimated. The probabilities are approximated using simulations with R draws and halton sequences are used if halton is not NULL. Pseudo-random numbers are drawn from a standard normal and the relevant transformations are performed to obtain numbers drawn from a normal, log-normal, censored-normal or uniform distribution. If

correlation = TRUE, the correlation between the random parameters are taken into account by estimating the components of the cholesky decomposition of the covariance matrix. With G random parameters, without correlation G standard deviations are estimated, with correlation G * (G + 1) / 2 coefficients are estimated.

Value

An object of class "mlogit", a list with elements:

- coefficients: the named vector of coefficients,
- logLik: the value of the log-likelihood,
- hessian: the hessian of the log-likelihood at convergence,
- gradient: the gradient of the log-likelihood at convergence,
- call: the matched call,
- est.stat: some information about the estimation (time used, optimisation method),
- freq: the frequency of choice,
- residuals: the residuals,
- fitted.values: the fitted values,
- formula: the formula (a Formula object),
- expanded.formula: the formula (a formula object),
- model: the model frame used,
- index: the index of the choice and of the alternatives.

Author(s)

Yves Croissant

References

McFadden D (1973). "Conditional Logit Analysis of Qualitative Choice Behaviour." In Zarembka P (ed.), *Frontiers in Econometrics*, 105-142. Academic Press New York, New York, NY, USA.

McFadden D (1974). "The measurement of urban travel demand." *Journal of Public Economics*, 3(4), 303 - 328. ISSN 0047-2727, [doi:10.1016/00472727\(74\)900036](https://doi.org/10.1016/00472727(74)900036).

Train K (2009). *Discrete Choice Methods with Simulation*. Cambridge University Press. [doi:10.1017/CBO9780511805271](https://doi.org/10.1017/CBO9780511805271).

See Also

`nnet::multinom()` from package nnet performs the estimation of the multinomial logit model with individual specific variables. `mlogit.optim()` details about the optimization function.

Examples

```

## Cameron and Trivedi's Microeconometrics p.493 There are two
## alternative specific variables : price and catch one individual
## specific variable (income) and four fishing mode : beach, pier, boat,
## charter

data("Fishing", package = "mlogit")
Fish <- dfix(Fishing, varying = 2:9, shape = "wide", choice = "mode")

## a pure "conditional" model
summary(mlogit(mode ~ price + catch, data = Fish))

## a pure "multinomial model"
summary(mlogit(mode ~ 0 | income, data = Fish))

## which can also be estimated using multinom (package nnet)
summary(nnet::multinom(mode ~ income, data = Fishing))

## a "mixed" model
m <- mlogit(mode ~ price + catch | income, data = Fish)
summary(m)

## same model with charter as the reference level
m <- mlogit(mode ~ price + catch | income, data = Fish, relevel = "charter")

## same model with a subset of alternatives : charter, pier, beach
m <- mlogit(mode ~ price + catch | income, data = Fish,
            alt.subset = c("charter", "pier", "beach"))

## model on unbalanced data i.e. for some observations, some
## alternatives are missing
# a data.frame in wide format with two missing prices
Fishing2 <- Fishing
Fishing2[1, "price.pier"] <- Fishing2[3, "price.beach"] <- NA
mlogit(mode ~ price + catch | income, Fishing2, shape = "wide", varying = 2:9)

# a data.frame in long format with three missing lines
data("TravelMode", package = "AER")
Tr2 <- TravelMode[-c(2, 7, 9),]
mlogit(choice ~ wait + gcost | income + size, Tr2)

## An heteroscedastic logit model
data("TravelMode", package = "AER")
h1 <- mlogit(choice ~ wait + travel + vcost, TravelMode, heterosc = TRUE)

## A nested logit model
TravelMode$avincome <- with(TravelMode, income * (mode == "air"))
TravelMode$time <- with(TravelMode, travel + wait)/60
TravelMode$timeair <- with(TravelMode, time * I(mode == "air"))
TravelMode$income <- with(TravelMode, income / 10)
# Hensher and Greene (2002), table 1 p.8-9 model 5
TravelMode$incomeother <- with(TravelMode, ifelse(mode %in% c('air', 'car'), income, 0))

```

```

nl <- mlogit(choice ~ gcost + wait + incomeother, TravelMode,
            nests = list(public = c('train', 'bus'), other = c('car', 'air')))

# same with a comon nest elasticity (model 1)
nl2 <- update(nl, un.nest.el = TRUE)

## a probit model
## Not run:
pr <- mlogit(choice ~ wait + travel + vcost, TravelMode, probit = TRUE)

## End(Not run)

## a mixed logit model
## Not run:
rpl <- mlogit(mode ~ price + catch | income, Fishing, varying = 2:9,
             rpar = c(price= 'n', catch = 'n'), correlation = TRUE,
             halton = NA, R = 50)
summary(rpl)
rpar(rpl)
cor.mlogit(rpl)
cov.mlogit(rpl)
rpar(rpl, "catch")
summary(rpar(rpl, "catch"))

## End(Not run)

# a ranked ordered model
data("Game", package = "mlogit")
g <- mlogit(ch ~ own | hours, Game, varying = 1:12, ranked = TRUE,
           relevel = "PC", idnames = c("chid", "alt"))

```

mlogit-deprecated *Some deprecated functions, especially mlogit.data, index and mFormula*

Description

mlogit.data is deprecated, use `dfidx::dfidx()` instead, mFormula is replaced by `Formula::Formula()` and `zoo::index()` by `idx`.

Usage

```

mlogit.data(
  data,
  choice = NULL,
  shape = c("long", "wide"),
  varying = NULL,
  sep = ".",
  alt.var = NULL,
  chid.var = NULL,

```

```

    alt.levels = NULL,
    id.var = NULL,
    group.var = NULL,
    opposite = NULL,
    drop.index = FALSE,
    ranked = FALSE,
    subset = NULL,
    ...
)

mFormula(object)

## S3 method for class 'formula'
mFormula(object)

## Default S3 method:
mFormula(object)

## S3 method for class 'mFormula'
model.matrix(object, data, ...)

is.mFormula(object)

```

Arguments

<code>data</code>	a <code>data.frame</code> ,
<code>choice</code>	the variable indicating the choice made: it can be either a logical vector, a numerical vector with 0 where the alternative is not chosen, a factor with level 'yes' when the alternative is chosen
<code>shape</code>	the shape of the <code>data.frame</code> : whether long if each row is an alternative or wide if each row is an observation,
<code>varying</code>	the indexes of the variables that are alternative specific,
<code>sep</code>	the separator of the variable name and the alternative name (only relevant for a wide <code>data.frame</code>),
<code>alt.var</code>	the name of the variable that contains the alternative index (for a long <code>data.frame</code> only) or the name under which the alternative index will be stored (the default name is <code>alt</code>),
<code>chid.var</code>	the name of the variable that contains the choice index or the name under which the choice index will be stored,
<code>alt.levels</code>	the name of the alternatives: if null, for a wide <code>data.frame</code> , they are guessed from the variable names and the choice variable (both should be the same), for a long <code>data.frame</code> , they are guessed from the <code>alt.var</code> argument,
<code>id.var</code>	the name of the variable that contains the individual index if any,
<code>group.var</code>	the name of the variable that contains the group index if any,
<code>opposite</code>	returns the opposite of the specified variables,
<code>drop.index</code>	should the index variables be dropped from the <code>data.frame</code> ,

ranked	a logical value which is true if the response is a rank,
subset	a logical expression which defines the subset of observations to be selected,
...	further arguments passed to reshape.
object	a formula, a dfidx or a mlogit object,
drop	a boolean, equal to FALSE if one wants that a data.frame is always returned,

Value

mlogit.data now returns a dfidx object, mFormula simply calls `Formula::Formula()` and returns a Formula object.

Author(s)

Yves Croissant

See Also

[stats::reshape\(\)](#)

mlogit.optim

Non-linear minimization routine

Description

This function performs efficiently the optimization of the likelihood functions for multinomial logit models

Usage

```
mlogit.optim(
  logLik,
  start,
  method = c("bfgs", "nr", "bhhh"),
  iterlim = 2000,
  tol = 1e-06,
  ftol = 1e-08,
  steptol = 1e-10,
  print.level = 0,
  constPar = NULL,
  ...
)

## S3 method for class 'est.stat'
print(x, ...)
```

Arguments

logLik	the likelihood function to be maximized,
start	the initial value of the vector of coefficients,
method	the method used, one of 'nr' for Newton-Ralphson, 'bhhh' for Berndt-Hausman-Hall-Hall and 'bfgs',
iterlim	the maximum number of iterations,
tol	the value of the criteria for the gradient,
ftol	the value of the criteria for the function,
steptol	the value of the criteria for the step,
print.level	one of (0, 1, 2), the details of the printing messages. If 'print.level = 0', no information about the optimization process is provided, if 'print.level = 1' the value of the likelihood, the step and the stoping criteria is printing, if 'print.level = 2' the vectors of the parameters and the gradient are also printed.
constPar	a numeric or a character vector which indicates that some parameters should be treated as constant,
...	further arguments passed to f.
x	an est.stat object

Details

The optimization is performed by updating, at each iteration, the vector of parameters by the amount $\text{step} * \text{direction}$, where step is a positive scalar and $\text{direction} = H^{-1} * g$, where g is the gradient and H^{-1} is an estimation of the inverse of the hessian. The choice of H^{-1} depends on the method chosen :

if $\text{method} = \text{'nr'}$, H is the hessian (*i.e.* is the second derivates matrix of the likelihood function),

if $\text{method} = \text{'bhhh'}$, H is the outer-product of the individual contributions of each individual to the gradient,

if $\text{method} = \text{'bfgs'}$, H^{-1} is updated at each iteration using a formula that uses the variations of the vector of parameters and the gradient. The initial value of the matrix is the inverse of the outer-product of the gradient (*i.e.* the bhhh estimator of the hessian).

The initial step is 1 and, if the new value of the function is less than the previous value, it is divided by two, until a higher value is obtained.

The routine stops when the gradient is sufficiently close to 0. The criteria is $g * H^{-1} * g$ which is compared to the `tol` argument. It also may stops if the number of iterations equals `iterlim`.

The function `f` has a `initial.value` argument which is the initial value of the likelihood. The function is then evaluated a first time with a `step` equals to one. If the value is lower than the initial value, the `step` is divided by two until the likelihood increases. The gradient is then computed and the function returns as attributes the gradient is the `step`. This method is more efficient than other functions available for R:

For the `optim` and the `maxLik` functions, the function and the gradient should be provided as separate functions. But, for multinomial logit models, both depends on the probabilities which are the most time-consuming elements of the model to compute.

For the `nlm` function, the function returns the gradient as an attribute. The gradient is therefore computed at each iteration, even when the function is computed with a step that is unable to increase the value of the likelihood.

Previous versions of `mlogit` depended on the 'maxLik' package. We kept the same interface, namely the `start`, `method`, `iterlim`, `tol`, `print.level` and `constPar` arguments.

The default method is 'bfgs', which is known to perform well, even if the likelihood function is not well behaved and the default value for `print.level = 1`, which means moderate printing.

A special default behavior is performed if a simple multinomial logit model is estimated. Indeed, for this model, the likelihood function is concave, the analytical hessian is simple to write and the optimization is straightforward. Therefore, in this case, the default method is 'nr' and `print.level = 0`.

Value

a list that contains the followings elements :

- `optimum`: the value of the function at the optimum, with attributes: `gradi` a matrix that contains the contribution of each individual to the gradient, `gradient` the gradient and, if `method = 'nr'`, `hessian` the hessian,
- `coefficients`: the vector of the parameters at the optimum,
- `est.stat`: a list that contains some information about the optimization : `'nb.iter'` the number of iterations, `'eps'` the value of the stoping criteria, `'method'` the method of optimization method used, `'message'`

Author(s)

Yves Croissant

Mode

Mode Choice

Description

A sample of 453 individuals for 4 transport modes.

Format

A dataframe containing :

- `choice`: one of car, carpool, bus or rail,
- `cost.z`: cost of mode z,
- `time.z`: time of mode z.

Source

[Kenneth Train's home page.](#)

Description

A sample of 3880 travellers for the Montreal-Toronto corridor

Format

A dataframe containing

- case: the individual index,
- alt: the alternative, one of train, car, bus and air,
- choice: one if the mode is chosen, zero otherwise,
- cost: monetary cost,
- ivt: in vehicle time,
- ovt: out vehicle time,
- frequency: frequency,
- income: income,
- urban: urban,
- noalt: the number of alternatives available.

Source

kindly provided by S. Koppelman

References

Bhat CR (1995). "A heteroscedastic extreme value model of intercity travel mode choice." *Transportation Research Part B: Methodological*, **29**(6), 471 - 483. ISSN 0191-2615, doi:[10.1016/0191-2615\(95\)000156](https://doi.org/10.1016/0191-2615(95)000156).

Koppelman FS, Wen C (2000). "The paired combinatorial logit model: properties, estimation and application." *Transportation Research Part B: Methodological*, **34**(2), 75 - 89. ISSN 0191-2615, doi:[10.1016/S01912615\(99\)000120](https://doi.org/10.1016/S01912615(99)000120).

Wen C, Koppelman FS (2001). "The generalized nested logit model." *Transportation Research Part B: Methodological*, **35**(7), 627 - 641. ISSN 0191-2615, doi:[10.1016/S01912615\(00\)00045X](https://doi.org/10.1016/S01912615(00)00045X).

Examples

```
data("ModeCanada", package = "mlogit")
bususers <- with(ModeCanada, case[choice == 1 & alt == "bus"])
ModeCanada <- subset(ModeCanada, ! case %in% bususers)
ModeCanada <- subset(ModeCanada, noalt == 4)
ModeCanada <- subset(ModeCanada, alt != "bus")
ModeCanada$alt <- ModeCanada$alt[drop = TRUE]
```

```
KoppWen00 <- dfidx(ModeCanada)

pcl <- mlogit(choice ~ freq + cost + ivt + ovt, KoppWen00, reflevel = 'car',
             nests = 'pcl', constPar = c('iv:train.air'))
```

```
model.matrix.dfidx_mlogit
```

Compute the model matrix for RUM

Description

specific stuff compared to the model.matrix.dfidx method which simply applies the Formula method

Usage

```
## S3 method for class 'dfidx_mlogit'
model.matrix(object, ..., lhs = NULL, rhs = 1, dot = "separate")
```

Arguments

```
object          the object
..., lhs, rhs, dot
                 see the Formula method
```

Author(s)

Yves Croissant

```
NOx
```

Technologies to reduce NOx emissions

Description

A sample of 632 American production units

Format

A dataframe containing:

- chid: the plant id,
- alt: the alternative,
- id: the owner id,
- choice: the chosen alternative,
- available: a dummy indicating that the alternative is available,

- env: the regulatory environment, one of 'regulated', 'deregulated' and 'public',
- post: dummy for post-combustion pollution control technology,
- cm: dummy for combustion modification technology,
- lnbn: dummy for low NOx burners technology,
- age: age of the plant (in deviation from the mean age),
- vcost: variable cost,
- kcost: capital cost.

Source

[American Economic Association data archive.](#)

References

Fowlie M (2010). "Emissions Trading, Electricity Restructuring, and Investment in Pollution Abatement." *American Economic Review*, **100**(3), 837-69. doi:10.1257/aer.100.3.837.

plot.mlogit

Plot of the distribution of estimated random parameters

Description

Methods for rpar and mlogit objects which provide a plot of the distribution of one or all of the estimated random parameters

Usage

```
## S3 method for class 'mlogit'
plot(x, par = NULL, norm = NULL, type = c("density", "probability"), ...)

## S3 method for class 'rpar'
plot(x, norm = NULL, type = c("density", "probability"), ...)
```

Arguments

x	a mlogit or a rpar object,
par	a subset of the random parameters ; if NULL, all the parameters are selected,
norm	the coefficient's name for the mlogit method or the coefficient's value for the rpar method used for normalization,
type	the function to be plotted, whether the density or the probability density function,
...	further arguments, passed to plot.rpar for the mlogit method and to plot for the rpar method.

Details

For the `rpar` method, one plot is drawn. For the `mlogit` method, one plot for each selected random parameter is drawn.

Author(s)

Yves Croissant

See Also

[mlogit\(\)](#) the estimation of random parameters logit models and [rpar\(\)](#) for the description of `rpar` objects and [distribution](#) for functions which return informations about the distribution of random parameters.

preds

Compute the predictions and their standard deviations

Description

`preds` is an alternative to the `predict` method

Usage

```
preds(object)

## S3 method for class 'preds'
summary(object, ...)
```

Arguments

<code>object</code>	a fitted model
<code>...</code>	further arguments for the summary method

Details

the standard errors are computed using the delta method.

Value

a `preds` object, which inherits the `dfidx` class and therefore contains an index column.

Author(s)

Yves Croissant

See Also

[mlogit\(\)](#) for the estimation of a multinomial logit model.

residuals.mlogit *Methods for mlogit objects*

Description

Miscellaneous methods for mlogit objects.

Usage

```
## S3 method for class 'mlogit'
residuals(object, outcome = TRUE, ...)

## S3 method for class 'mlogit'
terms(x, ...)

## S3 method for class 'mlogit'
model.matrix(object, ...)

## S3 method for class 'mlogit'
update(object, new, ...)

## S3 method for class 'mlogit'
print(
  x,
  digits = max(3, getOption("digits") - 2),
  width = getOption("width"),
  ...
)

## S3 method for class 'mlogit'
summary(object, ..., type = c("chol", "cov", "cor"))

## S3 method for class 'summary.mlogit'
print(
  x,
  digits = max(3, getOption("digits") - 2),
  width = getOption("width"),
  ...
)

## S3 method for class 'mlogit'
idx(x, n = NULL, m = NULL)

## S3 method for class 'mlogit'
idx_name(x, n = NULL, m = NULL)

## S3 method for class 'mlogit'
```

```

fitted(
  object,
  type = c("outcome", "probabilities", "linpred", "parameters"),
  outcome = NULL,
  ...
)

## S3 method for class 'summary.mlogit'
coef(object, ...)

## S3 method for class 'mlogit'
predict(object, newdata = NULL, returnData = FALSE, ...)

```

Arguments

outcome	a boolean which indicates, for the <code>fitted</code> and the <code>residuals</code> methods whether a matrix (for each choice, one value for each alternative) or a vector (for each choice, only a value for the alternative chosen) should be returned,
...	further arguments.
x, object	an object of class <code>mlogit</code>
new	an updated formula for the <code>update</code> method,
digits	the number of digits,
width	the width of the printing,
type	one of <code>outcome</code> (probability of the chosen alternative), <code>probabilities</code> (probabilities for all the alternatives), <code>parameters</code> for individual-level random parameters for the <code>fitted</code> method, how the correlated random parameters should be displayed : <code>"chol"</code> for the estimated parameters (the elements of the Cholesky decomposition matrix), <code>"cov"</code> for the covariance matrix and <code>"cor"</code> for the correlation matrix and the standard deviations,
n, m	see <code>dfidx::idx()</code>
newdata	a <code>data.frame</code> for the <code>predict</code> method,
returnData	for the <code>predict</code> method, if <code>TRUE</code> , the data is returned as an attribute,

Description

1793 choices by 561 individuals of a transport mode at Freetwon airport

Format

A dataframe containing:

- id: individual id,
- choice: 1 for the chosen mode,
- mode: one of Helicopter, WaterTaxi, Ferry, and Hovercraft,
- cost: the generalised cost of the transport mode,
- risk: the fatality rate, numbers of death per 100,000 trips,
- weight: weights,
- seats: ,
- noise: ,
- crowdness: ,
- convloc: ,
- clientele: ,
- chid: choice situation id,
- african: yes if born in Africa, no otherwise,
- lifeExp: declared life expectancy,
- dwage: declared hourly wage,
- iwage: imputed hourly wage,
- educ: level of education, one of low and high,
- fatalism: self-ranking of the degree of fatalism,
- gender: gender, one of female and male,
- age: age,
- haveChildren: yes if the traveler has children, no otherwise,
- swim: yes if the traveler knows how to swim, 'no, otherwise.

Source

[American Economic Association data archive.](#)

References

León G, Miguel E (2017). "Risky Transportation Choices and the Value of a Statistical Life." *American Economic Journal: Applied Economics*, 9(1), 202-28. doi:10.1257/app.20160140.

rpar *random parameter objects*

Description

rpar objects contain the relevant information about estimated random parameters. The homonymous function extract on rpar object from a mlogit object.

Usage

```
rpar(x, par = NULL, norm = NULL, ...)

## S3 method for class 'rpar'
print(
  x,
  digits = max(3, getOption("digits") - 2),
  width = getOption("width"),
  ...
)

## S3 method for class 'rpar'
summary(object, ...)
```

Arguments

x, object	a mlogit or a rpar object,
par	the name or the index of the parameters to be extracted ; if NULL, all the parameters are selected,
norm	the coefficient used for normalization if any,
...	further arguments.
digits	the number of digits
width	the width of the printed output

Details

mlogit objects contain an element called rpar which contain a list of rpar objects, one for each estimated random parameter. The print method prints the name of the distribution and the parameter, the summary behave like the one for numeric vectors.

Value

a rpar object, which contains:

- dist: the name of the distribution,
- mean: the first parameter of the distribution,
- sigma: the second parameter of the distribution,
- name: the name of the parameter.

Author(s)

Yves Croissant

See Also[mlogit\(\)](#) for the estimation of a random parameters logit model.

`slps`*Compute the slopes and their standard deviations*

Description`preds` is an alternative to the `predict` method**Usage**`slps(object)`

```
## S3 method for class 'slps'  
summary(object, ...)
```

Arguments

<code>object</code>	a fitted model
<code>...</code>	further arguments for the summary method

Details

the standard errors are computed using the delta method.

Valuea `slps` object, which inherits the `tbl_df` `tbl` and `data.frame` classes**Author(s)**

Yves Croissant

See Also[mlogit\(\)](#) for the estimation of a multinomial logit model.

three.tests	<i>The three tests for mlogit models</i>
-------------	--

Description

Three tests for mlogit models: specific methods for the Wald test and the likelihood ration test and a new function for the score test

Arguments

object	an object of class <code>mlogit</code> or a formula,
vcov	the covariance matrix estimator
...	two kinds of arguments can be used. If <code>mlogit</code> arguments are introduced, initial model is updated using these arguments. If formula or other <code>mlogit</code> models are introduced, the standard behavior of <code>lmtest::waldtest()</code> and <code>lmtest::lrtest()</code> is followed.

Details

The `scoretest` function and `mlogit` method for `waldtest` and `lrtest` from the `lmtest` package provides the infrastructure to compute the three tests of hypothesis for `mlogit` objects.

The first argument must be a `mlogit` object. If the second one is a fitted model or a formula, the behaviour of the three functions is the one of the default methods of `waldtest` and `lrtest`: the two models provided should be nested and the hypothesis tested is that the constrained model is the ‘right’ model.

If no second model is provided and if the model provided is the constrained model, some specific arguments of `mlogit` should be provided to describe how the initial model should be updated. If the first model is the unconstrained model, it is tested versus the ‘natural’ constrained model; for example, if the model is a heteroscedastic logit model, the constrained one is the multinomial logit model.

Value

an object of class `hctest`.

Author(s)

Yves Croissant

Examples

```
library("mlogit")
library("lmtest")
data("TravelMode", package = "AER")
m1 <- mlogit(choice ~ wait + travel + vcost, TravelMode,
            shape = "long", chid.var = "individual", alt.var = "mode")
h1 <- mlogit(choice ~ wait + travel + vcost, TravelMode,
```

```

        shape = "long", chid.var = "individual", alt.var = "mode",
        method = "bfgs", heterosc = TRUE)
lrtest(ml, h1)
waldtest(h1)
scoretest(ml, heterosc = TRUE)

```

Train

Stated Preferences for Train Traveling

Description

A sample of 235 Dutch individuals facing 2929 choice situations

Format

A dataframe containing:

- id: individual identifiant,
- choiceid: choice identifiant,
- choice: one of 'A' or 'B',
- price_z: price of proposition z (z = 'A', 'B') in cents of guilders,
- time_z: travel time of proposition z (z = 'A', 'B') in minutes,
- comfort_z: comfort of proposition z (z = 'A', 'B'), 0, 1 or 2 in decreasing comfort order,
- change_z: number of changes for proposition z (z = 'A', 'B').

Source

[Journal of Applied Econometrics data archive.](#)

References

- Ben-Akiva M, Bolduc D, Bradley M (1993). "Estimation of Travel Choice Models with Randomly Distributed Values of Time." Papers 9303, Laval - Recherche en Energie. <https://ideas.repec.org/p/fth/lavaen/9303.html>.
- Meijer E, Rouwendal J (2006). "Measuring welfare effects in models with random coefficients." *Journal of Applied Econometrics*, **21**(2), 227-244. doi:10.1002/jae.841.

vcov.mlogit	<i>vcov method for mlogit objects</i>
-------------	---------------------------------------

Description

The vcov method for mlogit objects extract the covariance matrix of the coefficients, the errors or the random parameters.

Usage

```
## S3 method for class 'mlogit'
vcov(
  object,
  ...,
  vcov = NULL,
  what = c("coefficient", "errors", "rpar"),
  subset = NA,
  fixed = FALSE,
  grep = NULL,
  invert = TRUE,
  type = c("cov", "cor", "sd"),
  refllevel = NULL
)

## S3 method for class 'vcov.mlogit'
print(x, ...)

## S3 method for class 'vcov.mlogit'
summary(object, ...)

## S3 method for class 'summary.vcov.mlogit'
print(
  x,
  digits = max(3, getOption("digits") - 2),
  width = getOption("width"),
  ...
)
```

Arguments

object	a mlogit object (and a vcov.mlogit for the summary method),
...	further arguments.
vcov, subset, fixed, grep, invert	see the micsr method
what	indicates which covariance matrix has to be extracted : the default value is coefficients, in this case, vcov behaves as usual. If what equals errors the

	covariance matrix of the errors of the model is returned. Finally, if what equals <code>rpar</code> , the covariance matrix of the random parameters are extracted,
<code>type</code>	with this argument, the covariance matrix may be returned (the default) ; the correlation matrix with the standard deviation on the diagonal may also be extracted,
<code>reflevel</code>	relevant for the extraction of the errors of a multinomial probit model ; in this case the covariance matrix is of error differences is returned and, with this argument, the alternative used for differentiation is indicated,
<code>x</code>	a <code>vcov.mlogit</code> or a <code>summary.vcov.mlogit</code> object,
<code>digits</code>	the number of digits,
<code>width</code>	the width of the printing,

Details

This new interface replaces the `cor.mlogit` and `cov.mlogit` functions which are deprecated.

Author(s)

Yves Croissant

See Also

[mlogit\(\)](#) for the estimation of multinomial logit models.

Index

- * **attribute**
 - has.intercept, 11
 - mlogit-deprecated, 21
 - model.matrix.dfidx_mlogit, 27
- * **datasets**
 - Car, 2
 - Catsup, 3
 - Cracker, 4
 - Electricity, 8
 - Fishing, 9
 - Game, 10
 - HC, 11
 - Heating, 12
 - JapaneseFDI, 14
 - Mode, 25
 - ModeCanada, 26
 - NOx, 27
 - RiskyTransport, 31
 - Train, 36
- * **htest**
 - hmftest, 13
 - three.tests, 35
- * **regression**
 - mlogit.optim, 23
- * **regression**
 - cor.mlogit, 4
 - distribution, 5
 - effects.mlogit, 7
 - logsum, 15
 - mlogit, 16
 - plot.mlogit, 28
 - preds, 29
 - rpar, 33
 - slps, 34
 - vcov.mlogit, 37
- Car, 2
- Catsup, 3
- coef.mlogit(residuals.mlogit), 30
- coef.summary.mlogit(residuals.mlogit), 30
- cor.mlogit, 4
- cov.mlogit(cor.mlogit), 4
- Cracker, 4
- df.residual.mlogit(residuals.mlogit), 30
- dfidx::dfidx(), 18, 21
- dfidx::idx(), 31
- distribution, 5, 29
- drpar(distribution), 5
- effects.mlogit, 7
- Electricity, 8
- Fishing, 9
- fitted.mlogit(residuals.mlogit), 30
- formula.mlogit(vcov.mlogit), 37
- Formula::Formula(), 18, 21, 23
- Game, 10
- Game2(Game), 10
- has.intercept, 11
- HC, 11
- Heating, 12
- hmftest, 13
- idx.mlogit(residuals.mlogit), 30
- idx_name.mlogit(residuals.mlogit), 30
- is.mFormula(mlogit-deprecated), 21
- JapaneseFDI, 14
- lmtest::lrtest(), 35
- lmtest::waldtest(), 35
- logsum, 15
- lrtest.mlogit(three.tests), 35
- mean.mlogit(distribution), 5

mean.rpar (distribution), 5
med (distribution), 5
mFormula (mlogit-deprecated), 21
miscmethods.mlogit (residuals.mlogit), 30
mlogit, 16
mlogit(), 7, 8, 16, 29, 34, 38
mlogit-deprecated, 21
mlogit.data (mlogit-deprecated), 21
mlogit.optim, 23
mlogit.optim(), 18, 19
Mode, 25
ModeCanada, 26
model.matrix.dfidx_mlogit, 27
model.matrix.mFormula (mlogit-deprecated), 21
model.matrix.mlogit (residuals.mlogit), 30

nnet::multinom(), 19
NOx, 27

plot.mlogit, 28
plot.rpar (plot.mlogit), 28
predict.mlogit (residuals.mlogit), 30
preds, 29
print.est.stat (mlogit.optim), 23
print.mlogit (residuals.mlogit), 30
print.rpar (rpar), 33
print.summary.mlogit (residuals.mlogit), 30
print.summary.vcov.mlogit (vcov.mlogit), 37
print.vcov.mlogit (vcov.mlogit), 37
prpar (distribution), 5

qrpar (distribution), 5

residuals.mlogit, 30
rg (distribution), 5
RiskyTransport, 31
rpar, 33
rpar(), 7, 29

scoretest.mlogit (three.tests), 35
slps, 34
stats::reshape(), 23
stdev (distribution), 5
summary.mlogit (residuals.mlogit), 30
summary.preds (preds), 29
summary.rpar (rpar), 33
summary.slps (slps), 34
summary.vcov.mlogit (vcov.mlogit), 37

terms.mlogit (residuals.mlogit), 30
three.tests, 35
Train, 36

update.mlogit (residuals.mlogit), 30

vcov, 4
vcov.mlogit, 37

waldtest.mlogit (three.tests), 35

zoo::index(), 21