

Package ‘paws.storage’

May 30, 2026

Title 'Amazon Web Services' Storage Services

Version 0.10.0

Description Interface to 'Amazon Web Services' storage services,
including 'Simple Storage Service' ('S3') and more
<<https://aws.amazon.com/>>.

License Apache License (>= 2.0)

URL <https://github.com/paws-r/paws>,
<https://paws-r.r-universe.dev/paws.storage>,
<https://www.paws-r-sdk.com>

BugReports <https://github.com/paws-r/paws/issues>

Imports paws.common (>= 0.8.0)

Suggests testthat

Encoding UTF-8

Config/roxygen2/version 8.0.0

Collate 'backup_service.R' 'backup_interfaces.R' 'backup_operations.R'
'dlm_service.R' 'dlm_interfaces.R' 'dlm_operations.R'
'ebs_service.R' 'ebs_interfaces.R' 'ebs_operations.R'
'efs_service.R' 'efs_interfaces.R' 'efs_operations.R'
'finspacedata_service.R' 'finspacedata_interfaces.R'
'finspacedata_operations.R' 'fsx_service.R' 'fsx_interfaces.R'
'fsx_operations.R' 'glacier_service.R' 'glacier_interfaces.R'
'glacier_operations.R' 'omics_service.R' 'omics_interfaces.R'
'omics_operations.R' 'recyclebin_service.R'
'recyclebin_interfaces.R' 'recyclebin_operations.R'
'reexports_paws.common.R' 's3_service.R' 's3_operations.R'
's3_custom.R' 's3_interfaces.R' 's3control_service.R'
's3control_interfaces.R' 's3control_operations.R'
's3outposts_service.R' 's3outposts_interfaces.R'
's3outposts_operations.R' 's3tables_service.R'
's3tables_interfaces.R' 's3tables_operations.R'
'storagegateway_service.R' 'storagegateway_interfaces.R'
'storagegateway_operations.R'

NeedsCompilation no

Author David Kretch [aut],
Adam Banker [aut],
Dyfan Jones [cre],
Amazon.com, Inc. [cph]

Maintainer Dyfan Jones <dyfan.r.jones@gmail.com>

Repository CRAN

Date/Publication 2026-05-30 05:10:14 UTC

Contents

backup	2
d1m	7
ebs	9
efs	12
finspacedata	15
fsx	18
glacier	21
omics	24
recyclebin	28
s3	31
s3control	36
s3outposts	40
s3tables	42
storagegateway	45

Index **52**

backup	<i>AWS Backup</i>
--------	-------------------

Description

Backup

Backup is a unified backup service designed to protect Amazon Web Services services and their associated data. Backup simplifies the creation, migration, restoration, and deletion of backups, while also providing reporting and auditing.

Usage

```
backup(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- backup(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
    creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

associate_backup_vault_mpa_approval_team	Associates an MPA approval team with a backup vault
cancel_legal_hold	Removes the specified legal hold on a recovery point
create_backup_plan	Creates a backup plan using a backup plan name and backup rules
create_backup_selection	Creates a JSON document that specifies a set of resources to assign to a backup plan
create_backup_vault	Creates a logical container where backups are stored
create_framework	Creates a framework with one or more controls
create_legal_hold	Creates a legal hold on a recovery point (backup)
create_logically_air_gapped_backup_vault	Creates a logical container to where backups may be copied
create_report_plan	Creates a report plan
create_restore_access_backup_vault	Creates a restore access backup vault that provides temporary access to recovery points
create_restore_testing_plan	Creates a restore testing plan
create_restore_testing_selection	This request can be sent after CreateRestoreTestingPlan request returns successfully
create_tiering_configuration	Creates a tiering configuration
delete_backup_plan	Deletes a backup plan
delete_backup_selection	Deletes the resource selection associated with a backup plan that is specified by a backup plan name
delete_backup_vault	Deletes the backup vault identified by its name
delete_backup_vault_access_policy	Deletes the policy document that manages permissions on a backup vault
delete_backup_vault_lock_configuration	Deletes Backup Vault Lock from a backup vault specified by a backup vault name
delete_backup_vault_notifications	Deletes event notifications for the specified backup vault
delete_framework	Deletes the framework specified by a framework name

delete_recovery_point	Deletes the recovery point specified by a recovery point ID
delete_report_plan	Deletes the report plan specified by a report plan name
delete_restore_testing_plan	This request deletes the specified restore testing plan
delete_restore_testing_selection	Input the Restore Testing Plan name and Restore Testing Selection name
delete_tiering_configuration	Deletes the tiering configuration specified by a tiering configuration name
describe_backup_job	Returns backup job details for the specified BackupJobId
describe_backup_vault	Returns metadata about a backup vault specified by its name
describe_copy_job	Returns metadata associated with creating a copy of a resource
describe_framework	Returns the framework details for the specified FrameworkName
describe_global_settings	Describes whether the Amazon Web Services account has enabled different
describe_protected_resource	Returns information about a saved resource, including the last time it was b
describe_recovery_point	Returns metadata associated with a recovery point, including ID, status, end
describe_region_settings	Returns the current service opt-in settings for the Region
describe_report_job	Returns the details associated with creating a report as specified by its Repo
describe_report_plan	Returns a list of all report plans for an Amazon Web Services account and a
describe_restore_job	Returns metadata associated with a restore job that is specified by a job ID
describe_scan_job	Returns scan job details for the specified ScanJobID
disassociate_backup_vault_mpa_approval_team	Removes the association between an MPA approval team and a backup vault
disassociate_recovery_point	Deletes the specified continuous backup recovery point from Backup and re
disassociate_recovery_point_from_parent	This action to a specific child (nested) recovery point removes the relations
export_backup_plan_template	Returns the backup plan that is specified by the plan ID as a backup templa
get_backup_plan	Returns BackupPlan details for the specified BackupPlanId
get_backup_plan_from_json	Returns a valid JSON document specifying a backup plan or an error
get_backup_plan_from_template	Returns the template specified by its templateId as a backup plan
get_backup_selection	Returns selection metadata and a document in JSON format that specifies a
get_backup_vault_access_policy	Returns the access policy document that is associated with the named backu
get_backup_vault_notifications	Returns event notifications for the specified backup vault
get_legal_hold	This action returns details for a specified legal hold
get_pitr_malware_scan_results	Returns the malware scan results for a specified point in time within a conti
get_recovery_point_index_details	This operation returns the metadata and details specific to the backup index
get_recovery_point_restore_metadata	Returns a set of metadata key-value pairs that were used to create the backu
get_restore_job_metadata	This request returns the metadata for the specified restore job
get_restore_testing_inferred_metadata	This request returns the minimal required set of metadata needed to start a r
get_restore_testing_plan	Returns RestoreTestingPlan details for the specified RestoreTestingPlanNam
get_restore_testing_selection	Returns RestoreTestingSelection, which displays resources and elements of
get_supported_resource_types	Returns the Amazon Web Services resource types supported by Backup
get_tiering_configuration	Returns TieringConfiguration details for the specified TieringConfiguration
list_backup_jobs	Returns a list of existing backup jobs for an authenticated account for the la
list_backup_job_summaries	This is a request for a summary of backup jobs created or running within th
list_backup_plans	Lists the active backup plans for the account
list_backup_plan_templates	Lists the backup plan templates
list_backup_plan_versions	Returns version metadata of your backup plans, including Amazon Resourc
list_backup_selections	Returns an array containing metadata of the resources associated with the t
list_backup_vaults	Returns a list of recovery point storage containers along with information a
list_copy_jobs	Returns metadata about your copy jobs
list_copy_job_summaries	This request obtains a list of copy jobs created or running within the the m
list_frameworks	Returns a list of all frameworks for an Amazon Web Services account and a
list_indexed_recovery_points	This operation returns a list of recovery points that have an associated index

<code>list_legal_holds</code>	This action returns metadata about active and previous legal holds
<code>list_protected_resources</code>	Returns an array of resources successfully backed up by Backup, including vaults
<code>list_protected_resources_by_backup_vault</code>	This request lists the protected resources corresponding to each backup vault
<code>list_recovery_points_by_backup_vault</code>	Returns detailed information about the recovery points stored in a backup vault
<code>list_recovery_points_by_legal_hold</code>	This action returns recovery point ARNs (Amazon Resource Names) of the legal holds
<code>list_recovery_points_by_resource</code>	The information about the recovery points of the type specified by a resource
<code>list_report_jobs</code>	Returns details about your report jobs
<code>list_report_plans</code>	Returns a list of your report plans
<code>list_restore_access_backup_vaults</code>	Returns a list of restore access backup vaults associated with a specified backup vault
<code>list_restore_jobs</code>	Returns a list of jobs that Backup initiated to restore a saved resource, including vaults
<code>list_restore_jobs_by_protected_resource</code>	This returns restore jobs that contain the specified protected resource
<code>list_restore_job_summaries</code>	This request obtains a summary of restore jobs created or running within the specified time range
<code>list_restore_testing_plans</code>	Returns a list of restore testing plans
<code>list_restore_testing_selections</code>	Returns a list of restore testing selections
<code>list_scan_jobs</code>	Returns a list of existing scan jobs for an authenticated account for the last 30 days
<code>list_scan_job_summaries</code>	This is a request for a summary of scan jobs created or running within the specified time range
<code>list_tags</code>	Returns the tags assigned to the resource, such as a target recovery point, backup vault, or report plan
<code>list_tiering_configurations</code>	Returns a list of tiering configurations
<code>put_backup_vault_access_policy</code>	Sets a resource-based policy that is used to manage access permissions on the backup vault
<code>put_backup_vault_lock_configuration</code>	Applies Backup Vault Lock to a backup vault, preventing attempts to delete the vault
<code>put_backup_vault_notifications</code>	Turns on notifications on a backup vault for the specified topic and events
<code>put_restore_validation_result</code>	This request allows you to send your independent self-run restore test validation results
<code>revoke_restore_access_backup_vault</code>	Revokes access to a restore access backup vault, removing the ability to restore from the vault
<code>start_backup_job</code>	Starts an on-demand backup job for the specified resource
<code>start_copy_job</code>	Starts a job to create a one-time copy of the specified resource
<code>start_report_job</code>	Starts an on-demand report job for the specified report plan
<code>start_restore_job</code>	Recovers the saved resource identified by an Amazon Resource Name (ARN)
<code>start_scan_job</code>	Starts scanning jobs for specific resources
<code>stop_backup_job</code>	Attempts to cancel a job to create a one-time backup of a resource
<code>tag_resource</code>	Assigns a set of key-value pairs to a resource
<code>untag_resource</code>	Removes a set of key-value pairs from a recovery point, backup plan, or backup vault
<code>update_backup_plan</code>	Updates the specified backup plan
<code>update_framework</code>	Updates the specified framework
<code>update_global_settings</code>	Updates whether the Amazon Web Services account has enabled different categories of resources
<code>update_recovery_point_index_settings</code>	This operation updates the settings of a recovery point index
<code>update_recovery_point_lifecycle</code>	Sets the transition lifecycle of a recovery point
<code>update_region_settings</code>	Updates the current service opt-in settings for the Region
<code>update_report_plan</code>	Updates the specified report plan
<code>update_restore_testing_plan</code>	This request will send changes to your specified restore testing plan
<code>update_restore_testing_selection</code>	Updates the specified restore testing selection
<code>update_tiering_configuration</code>	This request will send changes to your specified tiering configuration

Examples

```
## Not run:
svc <- backup()
svc$associate_backup_vault_mpa_approval_team(
```

```

    Foo = 123
)

## End(Not run)

```

dml

Amazon Data Lifecycle Manager

Description

With Amazon Data Lifecycle Manager, you can manage the lifecycle of your Amazon Web Services resources. You create lifecycle policies, which are used to automate operations on the specified resources.

Amazon Data Lifecycle Manager supports Amazon EBS volumes and snapshots. For information about using Amazon Data Lifecycle Manager with Amazon EBS, see [Amazon Data Lifecycle Manager](#) in the *Amazon EC2 User Guide*.

Usage

```
dml(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to true to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

`credentials` Optional credentials shorthand for the config parameter

- **creds:**
 - **access_key_id:** AWS access key ID
 - **secret_access_key:** AWS secret access key
 - **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- d1m(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

create_lifecycle_policy	Creates an Amazon Data Lifecycle Manager lifecycle policy
delete_lifecycle_policy	Deletes the specified lifecycle policy and halts the automated operations that the policy specified
get_lifecycle_policies	Gets summary information about all or the specified data lifecycle policies
get_lifecycle_policy	Gets detailed information about the specified lifecycle policy
list_tags_for_resource	Lists the tags for the specified resource
tag_resource	Adds the specified tags to the specified resource
untag_resource	Removes the specified tags from the specified resource
update_lifecycle_policy	Updates the specified lifecycle policy

Examples

```
## Not run:
svc <- dlm()
svc$create_lifecycle_policy(
  Foo = 123
)

## End(Not run)
```

ebs

Amazon Elastic Block Store

Description

You can use the Amazon Elastic Block Store (Amazon EBS) direct APIs to create Amazon EBS snapshots, write data directly to your snapshots, read data on your snapshots, and identify the differences or changes between two snapshots. If you're an independent software vendor (ISV) who offers backup services for Amazon EBS, the EBS direct APIs make it more efficient and cost-effective to track incremental changes on your Amazon EBS volumes through snapshots. This can be done without having to create new volumes from snapshots, and then use Amazon Elastic Compute Cloud (Amazon EC2) instances to compare the differences.

You can create incremental snapshots directly from data on-premises into volumes and the cloud to use for quick disaster recovery. With the ability to write and read snapshots, you can write your on-premises data to a snapshot during a disaster. Then after recovery, you can restore it back to Amazon Web Services or on-premises from the snapshot. You no longer need to build and maintain complex mechanisms to copy data to and from Amazon EBS.

This API reference provides detailed information about the actions, data types, parameters, and errors of the EBS direct APIs. For more information about the elements that make up the EBS direct APIs, and examples of how to use them effectively, see [Accessing the Contents of an Amazon EBS Snapshot](#) in the *Amazon Elastic Compute Cloud User Guide*. For more information about the supported Amazon Web Services Regions, endpoints, and service quotas for the EBS direct APIs, see [Amazon Elastic Block Store Endpoints and Quotas](#) in the *Amazon Web Services General Reference*.

Usage

```
ebs(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- ebs(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

complete_snapshot	Seals and completes the snapshot after all of the required blocks of data have been written to it
get_snapshot_block	Returns the data in a block in an Amazon Elastic Block Store snapshot
list_changed_blocks	Returns information about the blocks that are different between two Amazon Elastic Block Store snapshots
list_snapshot_blocks	Returns information about the blocks in an Amazon Elastic Block Store snapshot
put_snapshot_block	Writes a block of data to a snapshot
start_snapshot	Creates a new Amazon EBS snapshot

Examples

```

## Not run:
svc <- ebs()
svc$complete_snapshot(

```

```

    Foo = 123
)

## End(Not run)

```

efs

Amazon Elastic File System

Description

Amazon Elastic File System (Amazon EFS) provides simple, scalable file storage for use with Amazon EC2 Linux and Mac instances in the Amazon Web Services Cloud. With Amazon EFS, storage capacity is elastic, growing and shrinking automatically as you add and remove files, so that your applications have the storage they need, when they need it. For more information, see the [Amazon Elastic File System API Reference](#) and the [Amazon Elastic File System User Guide](#).

Usage

```
efs(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

`credentials` Optional credentials shorthand for the `config` parameter

- **creds:**

- **access_key_id:** AWS access key ID

- **secret_access_key**: AWS secret access key
 - **session_token**: AWS temporary session token
 - **profile**: The name of a profile to use. If not given, then the default profile is used.
 - **anonymous**: Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- efs(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

<code>create_access_point</code>	Creates an EFS access point
<code>create_file_system</code>	Creates a new, empty file system
<code>create_mount_target</code>	Creates a mount target for a file system
<code>create_replication_configuration</code>	Creates a replication configuration to either a new or existing EFS file system
<code>create_tags</code>	DEPRECATED - CreateTags is deprecated and not maintained
<code>delete_access_point</code>	Deletes the specified access point
<code>delete_file_system</code>	Deletes a file system, permanently severing access to its contents
<code>delete_file_system_policy</code>	Deletes the FileSystemPolicy for the specified file system
<code>delete_mount_target</code>	Deletes the specified mount target
<code>delete_replication_configuration</code>	Deletes a replication configuration
<code>delete_tags</code>	DEPRECATED - DeleteTags is deprecated and not maintained
<code>describe_access_points</code>	Returns the description of a specific Amazon EFS access point if the AccessPointID is specified
<code>describe_account_preferences</code>	Returns the account preferences settings for the Amazon Web Services account associated with the EFS file system
<code>describe_backup_policy</code>	Returns the backup policy for the specified EFS file system
<code>describe_file_system_policy</code>	Returns the FileSystemPolicy for the specified EFS file system
<code>describe_file_systems</code>	Returns the description of a specific Amazon EFS file system if either the file system ID or the file system name is specified
<code>describe_lifecycle_configuration</code>	Returns the current LifecycleConfiguration object for the specified EFS file system
<code>describe_mount_targets</code>	Returns the descriptions of all the current mount targets, or a specific mount target, for the specified EFS file system
<code>describe_mount_target_security_groups</code>	Returns the security groups currently in effect for a mount target
<code>describe_replication_configurations</code>	Retrieves the replication configuration for a specific file system
<code>describe_tags</code>	DEPRECATED - The DescribeTags action is deprecated and not maintained
<code>list_tags_for_resource</code>	Lists all tags for a top-level EFS resource
<code>modify_mount_target_security_groups</code>	Modifies the set of security groups in effect for a mount target
<code>put_account_preferences</code>	Use this operation to set the account preference in the current Amazon Web Services account
<code>put_backup_policy</code>	Updates the file system's backup policy
<code>put_file_system_policy</code>	Applies an Amazon EFS FileSystemPolicy to an Amazon EFS file system
<code>put_lifecycle_configuration</code>	Use this action to manage storage for your file system
<code>tag_resource</code>	Creates a tag for an EFS resource
<code>untag_resource</code>	Removes tags from an EFS resource
<code>update_file_system</code>	Updates the throughput mode or the amount of provisioned throughput of an existing EFS file system
<code>update_file_system_protection</code>	Updates protection on the file system

Examples

```
## Not run:
svc <- efs()
# This operation creates a new, encrypted file system with automatic
# backups enabled, and the default generalpurpose performance mode.
svc$create_file_system(
  Backup = TRUE,
  CreationToken = "tokenstring",
  Encrypted = TRUE,
  PerformanceMode = "generalPurpose",
  Tags = list(
    list(
```

```

        Key = "Name",
        Value = "MyFileSystem"
    )
)
)

## End(Not run)

```

finspacedata

FinSpace Public API

Description

The FinSpace APIs let you take actions inside the FinSpace.

Usage

```

finspacedata(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)

```

Arguments

config

Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to true to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- finspace_data(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",

```

```
    region = "string"
  )
```

Operations

<code>associate_user_to_permission_group</code>	Adds a user to a permission group to grant permissions for actions a user can perform
<code>create_changeset</code>	Creates a new Changeset in a FinSpace Dataset
<code>create_dataset</code>	Creates a new FinSpace Dataset
<code>create_data_view</code>	Creates a Dataview for a Dataset
<code>create_permission_group</code>	Creates a group of permissions for various actions that a user can perform in FinSpace
<code>create_user</code>	Creates a new user in FinSpace
<code>delete_dataset</code>	Deletes a FinSpace Dataset
<code>delete_permission_group</code>	Deletes a permission group
<code>disable_user</code>	Denies access to the FinSpace web application and API for the specified user
<code>disassociate_user_from_permission_group</code>	Removes a user from a permission group
<code>enable_user</code>	Allows the specified user to access the FinSpace web application and API
<code>get_changeset</code>	Get information about a Changeset
<code>get_dataset</code>	Returns information about a Dataset
<code>get_data_view</code>	Gets information about a Dataview
<code>get_external_data_view_access_details</code>	Returns the credentials to access the external Dataview from an S3 location
<code>get_permission_group</code>	Retrieves the details of a specific permission group
<code>get_programmatic_access_credentials</code>	Request programmatic credentials to use with FinSpace SDK
<code>get_user</code>	Retrieves details for a specific user
<code>get_working_location</code>	A temporary Amazon S3 location, where you can copy your files from a source location
<code>list_changesets</code>	Lists the FinSpace Changesets for a Dataset
<code>list_datasets</code>	Lists all of the active Datasets that a user has access to
<code>list_data_views</code>	Lists all available Dataviews for a Dataset
<code>list_permission_groups</code>	Lists all available permission groups in FinSpace
<code>list_permission_groups_by_user</code>	Lists all the permission groups that are associated with a specific user
<code>list_users</code>	Lists all available users in FinSpace
<code>list_users_by_permission_group</code>	Lists details of all the users in a specific permission group
<code>reset_user_password</code>	Resets the password for a specified user ID and generates a temporary one
<code>update_changeset</code>	Updates a FinSpace Changeset
<code>update_dataset</code>	Updates a FinSpace Dataset
<code>update_permission_group</code>	Modifies the details of a permission group
<code>update_user</code>	Modifies the details of the specified user

Examples

```
## Not run:
svc <- finspacedata()
svc$associate_user_to_permission_group(
  Foo = 123
)

## End(Not run)
```

fsx

Amazon FSx

Description

Amazon FSx is a fully managed service that makes it easy for storage and application administrators to launch and use shared file storage.

Usage

```
fsx(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- fsx(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

[associate_file_system_aliases](#)
[cancel_data_repository_task](#)
[copy_backup](#)
[copy_snapshot_and_update_volume](#)
[create_and_attach_s3_access_point](#)
[create_backup](#)
[create_data_repository_association](#)
[create_data_repository_task](#)

Use this action to associate one or more Domain Name Server (DNS) aliases with an Amazon FSx file system.
 Cancels an existing Amazon FSx for Lustre data repository task if that task is in either a pending or failed state.
 Copies an existing backup within the same Amazon Web Services account to another Amazon FSx file system.
 Updates an existing volume by using a snapshot from another Amazon FSx for Operations file system.
 Creates an S3 access point and attaches it to an Amazon FSx volume.
 Creates a backup of an existing Amazon FSx for Windows File Server file system, Amazon FSx for Linux File System file system, or Amazon FSx for Lustre file system.
 Creates an Amazon FSx for Lustre data repository association (DRA).
 Creates an Amazon FSx for Lustre data repository task.

create_file_cache	Creates a new Amazon File Cache resource
create_file_system	Creates a new, empty Amazon FSx file system
create_file_system_from_backup	Creates a new Amazon FSx for Lustre, Amazon FSx for Windows File Server, or Amazon FSx for OpenZFS file system
create_snapshot	Creates a snapshot of an existing Amazon FSx for OpenZFS volume
create_storage_virtual_machine	Creates a storage virtual machine (SVM) for an Amazon FSx for ONTAP file system
create_volume	Creates an FSx for ONTAP or Amazon FSx for OpenZFS storage volume
create_volume_from_backup	Creates a new Amazon FSx for NetApp ONTAP volume from an existing Amazon FSx for NetApp ONTAP volume
delete_backup	Deletes an Amazon FSx backup
delete_data_repository_association	Deletes a data repository association on an Amazon FSx for Lustre file system
delete_file_cache	Deletes an Amazon File Cache resource
delete_file_system	Deletes a file system
delete_snapshot	Deletes an Amazon FSx for OpenZFS snapshot
delete_storage_virtual_machine	Deletes an existing Amazon FSx for ONTAP storage virtual machine (SVM)
delete_volume	Deletes an Amazon FSx for NetApp ONTAP or Amazon FSx for OpenZFS volume
describe_backups	Returns the description of a specific Amazon FSx backup, if a BackupIds value is provided
describe_data_repository_associations	Returns the description of specific Amazon FSx for Lustre or Amazon File Cache data repository associations
describe_data_repository_tasks	Returns the description of specific Amazon FSx for Lustre or Amazon File Cache data repository tasks
describe_file_caches	Returns the description of a specific Amazon File Cache resource, if a FileCacheIds value is provided
describe_file_system_aliases	Returns the DNS aliases that are associated with the specified Amazon FSx for Windows File Server file system
describe_file_systems	Returns the description of specific Amazon FSx file systems, if a FileSystemIds value is provided
describe_s3_access_point_attachments	Describes one or more S3 access points attached to Amazon FSx volumes
describe_shared_vpc_configuration	Indicates whether participant accounts in your organization can create Amazon FSx for Windows File Server file systems
describe_snapshots	Returns the description of specific Amazon FSx for OpenZFS snapshots, if a SnapshotIds value is provided
describe_storage_virtual_machines	Describes one or more Amazon FSx for NetApp ONTAP storage virtual machines (SVMs)
describe_volumes	Describes one or more Amazon FSx for NetApp ONTAP or Amazon FSx for OpenZFS storage volumes
detach_and_delete_s3_access_point	Detaches an S3 access point from an Amazon FSx volume and deletes the S3 access point
disassociate_file_system_aliases	Use this action to disassociate, or remove, one or more Domain Name Service (DNS) aliases that are associated with the specified Amazon FSx for Windows File Server file system
list_tags_for_resource	Lists tags for Amazon FSx resources
release_file_system_nfs_v3_locks	Releases the file system lock from an Amazon FSx for OpenZFS file system
restore_volume_from_snapshot	Returns an Amazon FSx for OpenZFS volume to the state saved by the specified snapshot
start_misconfigured_state_recovery	After performing steps to repair the Active Directory configuration of an FSx for Windows File Server file system, this action starts the state recovery process
tag_resource	Tags an Amazon FSx resource
untag_resource	This action removes a tag from an Amazon FSx resource
update_data_repository_association	Updates the configuration of an existing data repository association on an Amazon FSx for Lustre file system
update_file_cache	Updates the configuration of an existing Amazon File Cache resource
update_file_system	Use this operation to update the configuration of an existing Amazon FSx file system
update_shared_vpc_configuration	Configures whether participant accounts in your organization can create Amazon FSx for Windows File Server file systems
update_snapshot	Updates the name of an Amazon FSx for OpenZFS snapshot
update_storage_virtual_machine	Updates an FSx for ONTAP storage virtual machine (SVM)
update_volume	Updates the configuration of an Amazon FSx for NetApp ONTAP or Amazon FSx for OpenZFS storage volume

Examples

```
## Not run:
svc <- fsx()
# This operation copies an Amazon FSx backup.
svc$copy_backup(
```

```
    SourceBackupId = "backup-03e3c82e0183b7b6b",
    SourceRegion = "us-east-2"
)

## End(Not run)
```

glacier

Amazon Glacier

Description

Amazon Glacier (Glacier) is a storage solution for "cold data."

Glacier is an extremely low-cost storage service that provides secure, durable, and easy-to-use storage for data backup and archival. With Glacier, customers can store their data cost effectively for months, years, or decades. Glacier also enables customers to offload the administrative burdens of operating and scaling storage to AWS, so they don't have to worry about capacity planning, hardware provisioning, data replication, hardware failure and recovery, or time-consuming hardware migrations.

Glacier is a great storage choice when low storage cost is paramount and your data is rarely retrieved. If your application requires fast or frequent access to your data, consider using Amazon S3. For more information, see [Amazon Simple Storage Service \(Amazon S3\)](#).

You can store any kind of data in any format. There is no maximum limit on the total amount of data you can store in Glacier.

If you are a first-time user of Glacier, we recommend that you begin by reading the following sections in the *Amazon Glacier Developer Guide*:

- [What is Amazon Glacier](#) - This section of the Developer Guide describes the underlying data model, the operations it supports, and the AWS SDKs that you can use to interact with the service.
- [Getting Started with Amazon Glacier](#) - The Getting Started section walks you through the process of creating a vault, uploading archives, creating jobs to download archives, retrieving the job output, and deleting archives.

Usage

```
glacier(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID

- * **secret_access_key:** AWS secret access key

	<ul style="list-style-type: none"> * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- glacier(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
```

```

        close_connection = "logical",
        timeout = "numeric",
        s3_force_path_style = "logical",
        sts_regional_endpoint = "string"
    ),
    credentials = list(
        creds = list(
            access_key_id = "string",
            secret_access_key = "string",
            session_token = "string"
        ),
        profile = "string",
        anonymous = "logical"
    ),
    endpoint = "string",
    region = "string"
)

```

Operations

abort_multipart_upload	This operation aborts a multipart upload identified by the upload ID
abort_vault_lock	This operation aborts the vault locking process if the vault lock is not in the Locked state
add_tags_to_vault	This operation adds the specified tags to a vault
complete_multipart_upload	You call this operation to inform Amazon Glacier (Glacier) that all the archive parts have been uploaded
complete_vault_lock	This operation completes the vault locking process by transitioning the vault lock from the InProgress state to the Locked state
create_vault	This operation creates a new vault with the specified name
delete_archive	This operation deletes an archive from a vault
delete_vault	This operation deletes a vault
delete_vault_access_policy	This operation deletes the access policy associated with the specified vault
delete_vault_notifications	This operation deletes the notification configuration set for a vault
describe_job	This operation returns information about a job you previously initiated, including the job information, the job's progress, and the job's status
describe_vault	This operation returns information about a vault, including the vault's Amazon Resource Name (ARN), the vault's name, and the vault's status
get_data_retrieval_policy	This operation returns the current data retrieval policy for the account and region specified in the request
get_job_output	This operation downloads the output of the job you initiated using InitiateJob
get_vault_access_policy	This operation retrieves the access-policy subresource set on the vault; for more information, see Access Policies
get_vault_lock	This operation retrieves the following attributes from the lock-policy subresource set on the vault: the vault's name, the vault's ARN, the vault's status, and the vault's lock status
get_vault_notifications	This operation retrieves the notification-configuration subresource of the specified vault
initiate_job	This operation initiates a job of the specified type, which can be a select, an archival retrieval, or a multipart upload
initiate_multipart_upload	This operation initiates a multipart upload
initiate_vault_lock	This operation initiates the vault locking process by doing the following: <ul style="list-style-type: none"> 1. The vault lock is set to InProgress. 2. The vault lock is set to Locked.
list_jobs	This operation lists jobs for a vault, including jobs that are in-progress and jobs that have reached their final status
list_multipart_uploads	This operation lists in-progress multipart uploads for the specified vault
list_parts	This operation lists the parts of an archive that have been uploaded in a specific multipart upload
list_provisioned_capacity	This operation lists the provisioned capacity units for the specified AWS account
list_tags_for_vault	This operation lists all the tags attached to a vault
list_vaults	This operation lists all vaults owned by the calling user's account
purchase_provisioned_capacity	This operation purchases a provisioned capacity unit for an AWS account
remove_tags_from_vault	This operation removes one or more tags from the set of tags attached to a vault

[set_data_retrieval_policy](#)
[set_vault_access_policy](#)
[set_vault_notifications](#)
[upload_archive](#)
[upload_multipart_part](#)

This operation sets and then enacts a data retrieval policy in the region specified in the PUT
 This operation configures an access policy for a vault and will overwrite an existing policy
 This operation configures notifications that will be sent when specific events happen to a vault
 This operation adds an archive to a vault
 This operation uploads a part of an archive

Examples

```

## Not run:
svc <- glacier()
# The example deletes an in-progress multipart upload to a vault named
# my-vault:
svc$abort_multipart_upload(
  accountId = "-",
  uploadId = "19gaRezEXAMPLES6Ry5YYdqthHOC_kGRCT03L9yetr220UmPtBYKk-OssZtLq...",
  vaultName = "my-vault"
)

## End(Not run)

```

omics

Amazon Omics

Description

Amazon Web Services HealthOmics is a service that helps users such as bioinformaticians, researchers, and scientists to store, query, analyze, and generate insights from genomics and other biological data. It simplifies and accelerates the process of storing and analyzing genomic information for Amazon Web Services.

For an introduction to the service, see [What is Amazon Web Services HealthOmics?](#) in the *Amazon Web Services HealthOmics User Guide*.

Usage

```
omics(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token

	<ul style="list-style-type: none"> – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- omics(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
```

```

        timeout = "numeric",
        s3_force_path_style = "logical",
        sts_regional_endpoint = "string"
    ),
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string"
  )

```

Operations

abort_multipart_read_set_upload	Stops a multipart read set upload into a sequence store and returns a response with no body
accept_share	Accept a resource share request
batch_delete_read_set	Deletes one or more read sets
cancel_annotation_import_job	Amazon Web Services HealthOmics variant stores and annotation stores are no longer available
cancel_run	Cancel a run using its ID and returns a response with no body if the operation is successful
cancel_run_batch	Cancel all runs within a specified batch
cancel_variant_import_job	Amazon Web Services HealthOmics variant stores and annotation stores are no longer available
complete_multipart_read_set_upload	Completes a multipart read set upload into a sequence store after you have initiated the upload
create_annotation_store	Amazon Web Services HealthOmics variant stores and annotation stores are no longer available
create_annotation_store_version	Creates a new version of an annotation store
create_configuration	Create a new configuration
create_multipart_read_set_upload	Initiates a multipart read set upload for uploading partitioned source files into a sequence store
create_reference_store	Creates a reference store and returns metadata in JSON format
create_run_cache	Creates a run cache to store and reference task outputs from completed private runs
create_run_group	Creates a run group to limit the compute resources for the runs that are added to the group
create_sequence_store	Creates a sequence store and returns its metadata
create_share	Creates a cross-account shared resource
create_variant_store	Amazon Web Services HealthOmics variant stores and annotation stores are no longer available
create_workflow	Creates a private workflow
create_workflow_version	Creates a new workflow version for the workflow that you specify with the workflow ID
delete_annotation_store	Amazon Web Services HealthOmics variant stores and annotation stores are no longer available
delete_annotation_store_versions	Deletes one or multiple versions of an annotation store
delete_batch	Deletes a run batch resource and its associated metadata
delete_configuration	Delete an existing configuration
delete_reference	Deletes a reference genome and returns a response with no body if the operation is successful
delete_reference_store	Deletes a reference store and returns a response with no body if the operation is successful
delete_run	Deletes a run and returns a response with no body if the operation is successful
delete_run_batch	Deletes the individual workflow runs within a batch
delete_run_cache	Deletes a run cache and returns a response with no body if the operation is successful

delete_run_group	Deletes a run group and returns a response with no body if the operation is successful
delete_s3_access_policy	Deletes an access policy for the specified store
delete_sequence_store	Deletes a sequence store and returns a response with no body if the operation is successful
delete_share	Deletes a resource share
delete_variant_store	Amazon Web Services HealthOmics variant stores and annotation stores are no longer supported
delete_workflow	Deletes a workflow by specifying its ID
delete_workflow_version	Deletes a workflow version
get_annotation_import_job	Amazon Web Services HealthOmics variant stores and annotation stores are no longer supported
get_annotation_store	Amazon Web Services HealthOmics variant stores and annotation stores are no longer supported
get_annotation_store_version	Retrieves the metadata for an annotation store version
get_batch	Retrieves details and current status for a specific run batch, including submission progress
get_configuration	Retrieve configuration details for specified name
get_read_set	Retrieves detailed information from parts of a read set and returns the read set in the specified format
get_read_set_activation_job	Returns detailed information about the status of a read set activation job in JSON format
get_read_set_export_job	Retrieves status information about a read set export job and returns the data in JSON format
get_read_set_import_job	Gets detailed and status information about a read set import job and returns the data in JSON format
get_read_set_metadata	Retrieves the metadata for a read set from a sequence store in JSON format
get_reference	Downloads parts of data from a reference genome and returns the reference file in the specified format
get_reference_import_job	Monitors the status of a reference import job
get_reference_metadata	Retrieves metadata for a reference genome
get_reference_store	Gets information about a reference store
get_run	Gets detailed information about a specific run using its ID
get_run_cache	Retrieves detailed information about the specified run cache using its ID
get_run_group	Gets information about a run group and returns its metadata
get_run_task	Gets detailed information about a run task using its ID
get_s3_access_policy	Retrieves details about an access policy on a given store
get_sequence_store	Retrieves metadata for a sequence store using its ID and returns it in JSON format
get_share	Retrieves the metadata for the specified resource share
get_variant_import_job	Amazon Web Services HealthOmics variant stores and annotation stores are no longer supported
get_variant_store	Amazon Web Services HealthOmics variant stores and annotation stores are no longer supported
get_workflow	Gets all information about a workflow using its ID
get_workflow_version	Gets information about a workflow version
list_annotation_import_jobs	Amazon Web Services HealthOmics variant stores and annotation stores are no longer supported
list_annotation_stores	Amazon Web Services HealthOmics variant stores and annotation stores are no longer supported
list_annotation_store_versions	Lists the versions of an annotation store
list_batch	Returns a list of run batches in your account, with optional filtering by status, name, or ID
list_configurations	List all configurations for the account
list_multipart_read_set_uploads	Lists in-progress multipart read set uploads for a sequence store and returns it in a JSON format
list_read_set_activation_jobs	Retrieves a list of read set activation jobs and returns the metadata in a JSON formatted response
list_read_set_export_jobs	Retrieves a list of read set export jobs in a JSON formatted response
list_read_set_import_jobs	Retrieves a list of read set import jobs and returns the data in JSON format
list_read_sets	Retrieves a list of read sets from a sequence store ID and returns the metadata in JSON format
list_read_set_upload_parts	Lists all parts in a multipart read set upload for a sequence store and returns the metadata in JSON format
list_reference_import_jobs	Retrieves the metadata of one or more reference import jobs for a reference store
list_references	Retrieves the metadata of one or more reference genomes in a reference store
list_reference_stores	Retrieves a list of reference stores linked to your account and returns their metadata in JSON format
list_run_caches	Retrieves a list of your run caches and the metadata for each cache
list_run_groups	Retrieves a list of all run groups and returns the metadata for each run group

<code>list_runs</code>	Retrieves a list of runs and returns each run's metadata and status
<code>list_runs_in_batch</code>	Returns a paginated list of individual workflow runs within a specific batch
<code>list_run_tasks</code>	Returns a list of tasks and status information within their specified run
<code>list_sequence_stores</code>	Retrieves a list of sequence stores and returns each sequence store's metadata
<code>list_shares</code>	Retrieves the resource shares associated with an account
<code>list_tags_for_resource</code>	Retrieves a list of tags for a resource
<code>list_variant_import_jobs</code>	Amazon Web Services HealthOmics variant stores and annotation stores are no longer
<code>list_variant_stores</code>	Amazon Web Services HealthOmics variant stores and annotation stores are no longer
<code>list_workflows</code>	Retrieves a list of existing workflows
<code>list_workflow_versions</code>	Lists the workflow versions for the specified workflow
<code>put_s3_access_policy</code>	Adds an access policy to the specified store
<code>start_annotation_import_job</code>	Amazon Web Services HealthOmics variant stores and annotation stores are no longer
<code>start_read_set_activation_job</code>	Activates an archived read set and returns its metadata in a JSON formatted output
<code>start_read_set_export_job</code>	Starts a read set export job
<code>start_read_set_import_job</code>	Imports a read set from the sequence store
<code>start_reference_import_job</code>	Imports a reference genome from Amazon S3 into a specified reference store
<code>start_run</code>	Starts a new run and returns details about the run, or duplicates an existing run
<code>start_run_batch</code>	Starts a batch of workflow runs
<code>start_variant_import_job</code>	Amazon Web Services HealthOmics variant stores and annotation stores are no longer
<code>tag_resource</code>	Tags a resource
<code>untag_resource</code>	Removes tags from a resource
<code>update_annotation_store</code>	Amazon Web Services HealthOmics variant stores and annotation stores are no longer
<code>update_annotation_store_version</code>	Updates the description of an annotation store version
<code>update_run_cache</code>	Updates a run cache using its ID and returns a response with no body if the operation i
<code>update_run_group</code>	Updates the settings of a run group and returns a response with no body if the operatio
<code>update_sequence_store</code>	Update one or more parameters for the sequence store
<code>update_variant_store</code>	Amazon Web Services HealthOmics variant stores and annotation stores are no longer
<code>update_workflow</code>	Updates information about a workflow
<code>update_workflow_version</code>	Updates information about the workflow version
<code>upload_read_set_part</code>	Uploads a specific part of a read set into a sequence store

Examples

```
## Not run:
svc <- omics()
svc$abort_multipart_read_set_upload(
  Foo = 123
)

## End(Not run)
```

Description

This is the *Recycle Bin API Reference*. This documentation provides descriptions and syntax for each of the actions and data types in Recycle Bin.

Recycle Bin is a resource recovery feature that enables you to restore accidentally deleted EBS volumes, EBS snapshots, and EBS-backed AMIs. When using Recycle Bin, if your resources are deleted, they are retained in the Recycle Bin for a time period that you specify.

You can restore a resource from the Recycle Bin at any time before its retention period expires. After you restore a resource from the Recycle Bin, the resource is removed from the Recycle Bin, and you can then use it in the same way you use any other resource of that type in your account. If the retention period expires and the resource is not restored, the resource is permanently deleted from the Recycle Bin and is no longer available for recovery. For more information about Recycle Bin, see [Recycle Bin](#) in the *Amazon Elastic Compute Cloud User Guide*.

Usage

```
recyclebin(
    config = list(),
    credentials = list(),
    endpoint = NULL,
    region = NULL
)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds:

- **access_key_id**: AWS access key ID
 - **secret_access_key**: AWS secret access key
 - **session_token**: AWS temporary session token
 - **profile**: The name of a profile to use. If not given, then the default profile is used.
 - **anonymous**: Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- recyclebin(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

<code>create_rule</code>	Creates a Recycle Bin retention rule
<code>delete_rule</code>	Deletes a Recycle Bin retention rule
<code>get_rule</code>	Gets information about a Recycle Bin retention rule
<code>list_rules</code>	Lists the Recycle Bin retention rules in the Region
<code>list_tags_for_resource</code>	Lists the tags assigned to a retention rule
<code>lock_rule</code>	Locks a Region-level retention rule
<code>tag_resource</code>	Assigns tags to the specified retention rule
<code>unlock_rule</code>	Unlocks a retention rule
<code>untag_resource</code>	Unassigns a tag from a retention rule
<code>update_rule</code>	Updates an existing Recycle Bin retention rule

Examples

```
## Not run:
svc <- recyclebin()
svc$create_rule(
  Foo = 123
)

## End(Not run)
```

s3

Amazon Simple Storage Service

Description

Amazon Simple Storage Service

Usage

```
s3(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
 - **creds:**
 - * **access_key_id:** AWS access key ID
 - * **secret_access_key:** AWS secret access key
 - * **session_token:** AWS temporary session token
 - **profile:** The name of a profile to use. If not given, then the default profile is used.

	<ul style="list-style-type: none"> – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- s3(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
```

```

    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations

[abort_multipart_upload](#)

[complete_multipart_upload](#)

[copy_object](#)

[create_bucket](#)

[create_bucket_metadata_configuration](#)

[create_bucket_metadata_table_configuration](#)

[create_multipart_upload](#)

[create_session](#)

[delete_bucket](#)

[delete_bucket_analytics_configuration](#)

[delete_bucket_cors](#)

[delete_bucket_encryption](#)

[delete_bucket_intelligent_tiering_configuration](#)

[delete_bucket_inventory_configuration](#)

[delete_bucket_lifecycle](#)

[delete_bucket_metadata_configuration](#)

[delete_bucket_metadata_table_configuration](#)

[delete_bucket_metrics_configuration](#)

[delete_bucket_ownership_controls](#)

[delete_bucket_policy](#)

[delete_bucket_replication](#)

[delete_bucket_tagging](#)

[delete_bucket_website](#)

[delete_object](#)

[delete_objects](#)

[delete_object_tagging](#)

[delete_public_access_block](#)

[download_file](#)

[generate_presigned_url](#)

[get_bucket_abac](#)

[get_bucket_accelerate_configuration](#)

This operation aborts a multipart upload

Completes a multipart upload by assembling previously uploaded parts

Creates a copy of an object that is already stored in Amazon S3

This action creates an Amazon S3 bucket

Creates an S3 Metadata V2 metadata configuration for a general purpose bucket

We recommend that you create your S3 Metadata configurations by using the `create_bucket_metadata_configuration` operation.

End of support notice: As of October 1, 2025, Amazon S3 has discontinued support for the `create_bucket_metadata_configuration` operation.

Creates a session that establishes temporary security credentials to access Amazon S3

Deletes the S3 bucket

This operation is not supported for directory buckets

This operation is not supported for directory buckets

This implementation of the DELETE action resets the default encryption configuration of the bucket.

This operation is not supported for directory buckets

Deletes an S3 Inventory configuration (identified by the inventory ID)

Deletes the lifecycle configuration from the specified bucket

Deletes an S3 Metadata configuration from a general purpose bucket

We recommend that you delete your S3 Metadata configurations by using the `delete_bucket_metadata_configuration` operation.

Deletes a metrics configuration for the Amazon CloudWatch request logging feature

This operation is not supported for directory buckets

Deletes the policy of a specified bucket

This operation is not supported for directory buckets

This operation is not supported for directory buckets

This operation is not supported for directory buckets

Removes an object from a bucket

This operation enables you to delete multiple objects from a bucket

This operation is not supported for directory buckets

This operation is not supported for directory buckets

Download a file from S3 and store it at a specified file location

`@title` Generate a presigned url given a client, its method, and arguments

Returns the attribute-based access control (ABAC) property of the bucket

This operation is not supported for directory buckets

[get_bucket_acl](#)
[get_bucket_analytics_configuration](#)
[get_bucket_cors](#)
[get_bucket_encryption](#)
[get_bucket_intelligent_tiering_configuration](#)
[get_bucket_inventory_configuration](#)
[get_bucket_lifecycle](#)
[get_bucket_lifecycle_configuration](#)
[get_bucket_location](#)
[get_bucket_logging](#)
[get_bucket_metadata_configuration](#)
[get_bucket_metadata_table_configuration](#)
[get_bucket_metrics_configuration](#)
[get_bucket_notification](#)
[get_bucket_notification_configuration](#)
[get_bucket_ownership_controls](#)
[get_bucket_policy](#)
[get_bucket_policy_status](#)
[get_bucket_replication](#)
[get_bucket_request_payment](#)
[get_bucket_tagging](#)
[get_bucket_versioning](#)
[get_bucket_website](#)
[get_object](#)
[get_object_acl](#)
[get_object_attributes](#)
[get_object_legal_hold](#)
[get_object_lock_configuration](#)
[get_object_retention](#)
[get_object_tagging](#)
[get_object_torrent](#)
[get_public_access_block](#)
[head_bucket](#)
[head_object](#)
[list_bucket_analytics_configurations](#)
[list_bucket_intelligent_tiering_configurations](#)
[list_bucket_inventory_configurations](#)
[list_bucket_metrics_configurations](#)
[list_buckets](#)
[list_directory_buckets](#)
[list_multipart_uploads](#)
[list_objects](#)
[list_objects_v2](#)
[list_object_versions](#)
[list_parts](#)
[put_bucket_abac](#)
[put_bucket_accelerate_configuration](#)
[put_bucket_acl](#)

This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 Returns the default encryption configuration for an Amazon S3 bucket
 This operation is not supported for directory buckets
 Returns an S3 Inventory configuration (identified by the inventory configuration ID)
 For an updated version of this API, see `GetBucketLifecycleConfiguration`
 Returns the lifecycle configuration information set on the bucket
 Using the `GetBucketLocation` operation is no longer a best practice
 This operation is not supported for directory buckets
 Retrieves the S3 Metadata configuration for a general purpose bucket
 We recommend that you retrieve your S3 Metadata configurations by using the `GetBucketMetadataConfiguration` operation
 Gets a metrics configuration (specified by the metrics configuration ID)
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 Returns the policy of a specified bucket
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 Retrieves an object from Amazon S3
 This operation is not supported for directory buckets
 Retrieves all of the metadata from an object without returning the object data
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 You can use this operation to determine if a bucket exists and if you have access to it
 The HEAD operation retrieves metadata from an object without returning the object data
 This operation is not supported for directory buckets
 This operation is not supported for directory buckets
 Returns a list of S3 Inventory configurations for the bucket
 Lists the metrics configurations for the bucket
 This operation is not supported for directory buckets
 Returns a list of all Amazon S3 directory buckets owned by the authenticated user
 This operation lists in-progress multipart uploads in a bucket
 This operation is not supported for directory buckets
 Returns some or all (up to 1,000) of the objects in a bucket with each object's metadata
 This operation is not supported for directory buckets
 Lists the parts that have been uploaded for a specific multipart upload
 Sets the attribute-based access control (ABAC) property of the general-purpose bucket
 This operation is not supported for directory buckets
 End of support notice: As of October 1, 2025, Amazon S3 has discontinued support for the `put_bucket_acl` operation

<code>put_bucket_analytics_configuration</code>	This operation is not supported for directory buckets
<code>put_bucket_cors</code>	This operation is not supported for directory buckets
<code>put_bucket_encryption</code>	This operation configures default encryption and Amazon S3 Buck
<code>put_bucket_intelligent_tiering_configuration</code>	This operation is not supported for directory buckets
<code>put_bucket_inventory_configuration</code>	This implementation of the PUT action adds an S3 Inventory confi
<code>put_bucket_lifecycle</code>	This operation is not supported for directory buckets
<code>put_bucket_lifecycle_configuration</code>	Creates a new lifecycle configuration for the bucket or replaces an o
<code>put_bucket_logging</code>	End of support notice: As of October 1, 2025, Amazon S3 has disc
<code>put_bucket_metrics_configuration</code>	Sets a metrics configuration (specified by the metrics configuration
<code>put_bucket_notification</code>	This operation is not supported for directory buckets
<code>put_bucket_notification_configuration</code>	This operation is not supported for directory buckets
<code>put_bucket_ownership_controls</code>	This operation is not supported for directory buckets
<code>put_bucket_policy</code>	Applies an Amazon S3 bucket policy to an Amazon S3 bucket
<code>put_bucket_replication</code>	This operation is not supported for directory buckets
<code>put_bucket_request_payment</code>	This operation is not supported for directory buckets
<code>put_bucket_tagging</code>	This operation is not supported for directory buckets
<code>put_bucket_versioning</code>	This operation is not supported for directory buckets
<code>put_bucket_website</code>	This operation is not supported for directory buckets
<code>put_object</code>	End of support notice: As of October 1, 2025, Amazon S3 has disc
<code>put_object_acl</code>	End of support notice: As of October 1, 2025, Amazon S3 has disc
<code>put_object_legal_hold</code>	This operation is not supported for directory buckets
<code>put_object_lock_configuration</code>	This operation is not supported for directory buckets
<code>put_object_retention</code>	This operation is not supported for directory buckets
<code>put_object_tagging</code>	This operation is not supported for directory buckets
<code>put_public_access_block</code>	This operation is not supported for directory buckets
<code>rename_object</code>	Renames an existing object in a directory bucket that uses the S3 E
<code>restore_object</code>	This operation is not supported for directory buckets
<code>select_object_content</code>	This operation is not supported for directory buckets
<code>update_bucket_metadata_inventory_table_configuration</code>	Enables or disables a live inventory table for an S3 Metadata confi
<code>update_bucket_metadata_journal_table_configuration</code>	Enables or disables journal table record expiration for an S3 Metad
<code>update_object_encryption</code>	This operation is not supported for directory buckets or Amazon S3
<code>upload_part</code>	Uploads a part in a multipart upload
<code>upload_part_copy</code>	Uploads a part by copying data from an existing object as data sour
<code>write_get_object_response</code>	This operation is not supported for directory buckets

Examples

```
## Not run:
svc <- s3()
# The following example aborts a multipart upload.
svc$abort_multipart_upload(
  Bucket = "examplebucket",
  Key = "bigobject",
  UploadId = "xadc0B_7YPBOJuoFiQ9cz4P3Pe6FIZw04f7wN93uHsNBew97p15eNwzExg0LA..."
)

## End(Not run)
```

s3control

AWS S3 Control

Description

Amazon Web Services S3 Control provides access to Amazon S3 control plane actions.

Usage

```
s3control(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3_force_path_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts_regional_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

`credentials` Optional credentials shorthand for the `config` parameter

- **creds:**

- **access_key_id:** AWS access key ID
- **secret_access_key:** AWS secret access key
- **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.
 - **anonymous:** Set anonymous credentials.
- endpoint Optional shorthand for complete URL to use for the constructed client.
- region Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- s3control(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

Operations

associate_access_grants_identity_center	Associate your S3 Access Grants instance with an Amazon Web Services IAM Identity Center instance
create_access_grant	Creates an access grant that gives a grantee access to your S3 data
create_access_grants_instance	Creates an S3 Access Grants instance, which serves as a logical grouping of S3 data
create_access_grants_location	The S3 data location that you would like to register in your S3 Access Grants instance
create_access_point	Creates an access point and associates it to a specified bucket
create_access_point_for_object_lambda	This operation is not supported by directory buckets
create_bucket	This action creates an Amazon S3 on Outposts bucket
create_job	This operation creates an S3 Batch Operations job
create_multi_region_access_point	This operation is not supported by directory buckets
create_storage_lens_group	Creates a new S3 Storage Lens group and associates it with the specified bucket
delete_access_grant	Deletes the access grant from the S3 Access Grants instance
delete_access_grants_instance	Deletes your S3 Access Grants instance
delete_access_grants_instance_resource_policy	Deletes the resource policy of the S3 Access Grants instance
delete_access_grants_location	Deregisters a location from your S3 Access Grants instance
delete_access_point	Deletes the specified access point
delete_access_point_for_object_lambda	This operation is not supported by directory buckets
delete_access_point_policy	Deletes the access point policy for the specified access point
delete_access_point_policy_for_object_lambda	This operation is not supported by directory buckets
delete_access_point_scope	Deletes an existing access point scope for a directory bucket
delete_bucket	This action deletes an Amazon S3 on Outposts bucket
delete_bucket_lifecycle_configuration	This action deletes an Amazon S3 on Outposts bucket's lifecycle configuration
delete_bucket_policy	This action deletes an Amazon S3 on Outposts bucket policy
delete_bucket_replication	This operation deletes an Amazon S3 on Outposts bucket's replication configuration
delete_bucket_tagging	This action deletes an Amazon S3 on Outposts bucket's tags
delete_job_tagging	Removes the entire tag set from the specified S3 Batch Operations job
delete_multi_region_access_point	This operation is not supported by directory buckets
delete_public_access_block	This operation is not supported by directory buckets
delete_storage_lens_configuration	This operation is not supported by directory buckets
delete_storage_lens_configuration_tagging	This operation is not supported by directory buckets
delete_storage_lens_group	Deletes an existing S3 Storage Lens group
describe_job	Retrieves the configuration parameters and status for a Batch Operation
describe_multi_region_access_point_operation	This operation is not supported by directory buckets
dissociate_access_grants_identity_center	Dissociates the Amazon Web Services IAM Identity Center instance from the S3 Access Grants instance
get_access_grant	Get the details of an access grant from your S3 Access Grants instance
get_access_grants_instance	Retrieves the S3 Access Grants instance for a Region in your account
get_access_grants_instance_for_prefix	Retrieve the S3 Access Grants instance that contains a particular prefix
get_access_grants_instance_resource_policy	Returns the resource policy of the S3 Access Grants instance
get_access_grants_location	Retrieves the details of a particular location registered in your S3 Access Grants instance
get_access_point	Returns configuration information about the specified access point
get_access_point_configuration_for_object_lambda	This operation is not supported by directory buckets
get_access_point_for_object_lambda	This operation is not supported by directory buckets
get_access_point_policy	Returns the access point policy associated with the specified access point
get_access_point_policy_for_object_lambda	This operation is not supported by directory buckets
get_access_point_policy_status	This operation is not supported by directory buckets
get_access_point_policy_status_for_object_lambda	This operation is not supported by directory buckets
get_access_point_scope	Returns the access point scope for a directory bucket
get_bucket	Gets an Amazon S3 on Outposts bucket
get_bucket_lifecycle_configuration	This action gets an Amazon S3 on Outposts bucket's lifecycle configuration

get_bucket_policy	This action gets a bucket policy for an Amazon S3 on Outposts bucket
get_bucket_replication	This operation gets an Amazon S3 on Outposts bucket's replication configuration
get_bucket_tagging	This action gets an Amazon S3 on Outposts bucket's tags
get_bucket_versioning	This operation returns the versioning state for S3 on Outposts buckets only
get_data_access	Returns a temporary access credential from S3 Access Grants to the grant
get_job_tagging	Returns the tags on an S3 Batch Operations job
get_multi_region_access_point	This operation is not supported by directory buckets
get_multi_region_access_point_policy	This operation is not supported by directory buckets
get_multi_region_access_point_policy_status	This operation is not supported by directory buckets
get_multi_region_access_point_routes	This operation is not supported by directory buckets
get_public_access_block	This operation is not supported by directory buckets
get_storage_lens_configuration	This operation is not supported by directory buckets
get_storage_lens_configuration_tagging	This operation is not supported by directory buckets
get_storage_lens_group	Retrieves the Storage Lens group configuration details
list_access_grants	Returns the list of access grants in your S3 Access Grants instance
list_access_grants_instances	Returns a list of S3 Access Grants instances
list_access_grants_locations	Returns a list of the locations registered in your S3 Access Grants instance
list_access_points	This operation is not supported by directory buckets
list_access_points_for_directory_buckets	Returns a list of the access points that are owned by the Amazon Web Services account
list_access_points_for_object_lambda	This operation is not supported by directory buckets
list_caller_access_grants	Use this API to list the access grants that grant the caller access to Amazon S3
list_jobs	Lists current S3 Batch Operations jobs as well as the jobs that have ended
list_multi_region_access_points	This operation is not supported by directory buckets
list_regional_buckets	This operation is not supported by directory buckets
list_storage_lens_configurations	This operation is not supported by directory buckets
list_storage_lens_groups	Lists all the Storage Lens groups in the specified home Region
list_tags_for_resource	This operation allows you to list all of the tags for a specified resource
put_access_grants_instance_resource_policy	Updates the resource policy of the S3 Access Grants instance
put_access_point_configuration_for_object_lambda	This operation is not supported by directory buckets
put_access_point_policy	Associates an access policy with the specified access point
put_access_point_policy_for_object_lambda	This operation is not supported by directory buckets
put_access_point_scope	Creates or replaces the access point scope for a directory bucket
put_bucket_lifecycle_configuration	This action puts a lifecycle configuration to an Amazon S3 on Outposts bucket
put_bucket_policy	This action puts a bucket policy to an Amazon S3 on Outposts bucket
put_bucket_replication	This action creates an Amazon S3 on Outposts bucket's replication configuration
put_bucket_tagging	This action puts tags on an Amazon S3 on Outposts bucket
put_bucket_versioning	This operation sets the versioning state for S3 on Outposts buckets only
put_job_tagging	Sets the supplied tag-set on an S3 Batch Operations job
put_multi_region_access_point_policy	This operation is not supported by directory buckets
put_public_access_block	This operation is not supported by directory buckets
put_storage_lens_configuration	This operation is not supported by directory buckets
put_storage_lens_configuration_tagging	This operation is not supported by directory buckets
submit_multi_region_access_point_routes	This operation is not supported by directory buckets
tag_resource	Creates a new user-defined tag or updates an existing tag
untag_resource	This operation removes the specified user-defined tags from an S3 resource
update_access_grants_location	Updates the IAM role of a registered location in your S3 Access Grants instance
update_job_priority	Updates an existing S3 Batch Operations job's priority
update_job_status	Updates the status for the specified job

`update_storage_lens_group`

Updates the existing Storage Lens group

Examples

```
## Not run:
svc <- s3control()
svc$associate_access_grants_identity_center(
  Foo = 123
)

## End(Not run)
```

`s3outposts`*Amazon S3 on Outposts*

Description

Amazon S3 on Outposts provides access to S3 on Outposts operations.

Usage

```
s3outposts(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

Arguments

`config`

Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- * **access_key_id:** AWS access key ID
- * **secret_access_key:** AWS secret access key
- * **session_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.
- **region:** The AWS Region used in instantiating the client.
- **close_connection:** Immediately close all HTTP connections.

	<ul style="list-style-type: none"> • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- s3outposts(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

create_endpoint	Creates an endpoint and associates it with the specified Outpost
delete_endpoint	Deletes an endpoint
list_endpoints	Lists endpoints associated with the specified Outpost
list_outposts_with_s3	Lists the Outposts with S3 on Outposts capacity for your Amazon Web Services account
list_shared_endpoints	Lists all endpoints associated with an Outpost that has been shared by Amazon Web Services Resource

Examples

```

## Not run:
svc <- s3outposts()
svc$create_endpoint(
  Foo = 123
)

## End(Not run)

```

s3tables

Amazon S3 Tables

Description

An Amazon S3 table represents a structured dataset consisting of tabular data in [Apache Parquet](#) format and related metadata. This data is stored inside an S3 table as a subresource. All tables in a table bucket are stored in the [Apache Iceberg](#) table format. Through integration with the Amazon Web Services Glue Data Catalog you can interact with your tables using Amazon Web Services analytics services, such as Amazon Athena and Amazon Redshift. Amazon S3 manages maintenance of your tables through automatic file compaction and snapshot management. For more information, see [Amazon S3 table buckets](#).

Usage

```
s3tables(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```
svc <- s3tables(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
  creds = list(
    access_key_id = "string",
    secret_access_key = "string",
    session_token = "string"
  ),
  profile = "string",
  anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

Operations

create_namespace	Creates a namespace
create_table	Creates a new table associated with the given namespace in a table bucket
create_table_bucket	Creates a table bucket
delete_namespace	Deletes a namespace
delete_table	Deletes a table
delete_table_bucket	Deletes a table bucket
delete_table_bucket_encryption	Deletes the encryption configuration for a table bucket
delete_table_bucket_metrics_configuration	Deletes the metrics configuration for a table bucket
delete_table_bucket_policy	Deletes a table bucket policy
delete_table_bucket_replication	Deletes the replication configuration for a table bucket
delete_table_policy	Deletes a table policy
delete_table_replication	Deletes the replication configuration for a specific table
get_namespace	Gets details about a namespace
get_table	Gets details about a table
get_table_bucket	Gets details on a table bucket
get_table_bucket_encryption	Gets the encryption configuration for a table bucket
get_table_bucket_maintenance_configuration	Gets details about a maintenance configuration for a given table bucket
get_table_bucket_metrics_configuration	Gets the metrics configuration for a table bucket
get_table_bucket_policy	Gets details about a table bucket policy
get_table_bucket_replication	Retrieves the replication configuration for a table bucket

<code>get_table_bucket_storage_class</code>	Retrieves the storage class configuration for a specific table
<code>get_table_encryption</code>	Gets the encryption configuration for a table
<code>get_table_maintenance_configuration</code>	Gets details about the maintenance configuration of a table
<code>get_table_maintenance_job_status</code>	Gets the status of a maintenance job for a table
<code>get_table_metadata_location</code>	Gets the location of the table metadata
<code>get_table_policy</code>	Gets details about a table policy
<code>get_table_record_expiration_configuration</code>	Retrieves the expiration configuration settings for records in a table, and the s
<code>get_table_record_expiration_job_status</code>	Retrieves the status, metrics, and details of the latest record expiration job for
<code>get_table_replication</code>	Retrieves the replication configuration for a specific table
<code>get_table_replication_status</code>	Retrieves the replication status for a table, including the status of replication t
<code>get_table_storage_class</code>	Retrieves the storage class configuration for a specific table
<code>list_namespaces</code>	Lists the namespaces within a table bucket
<code>list_table_buckets</code>	Lists table buckets for your account
<code>list_tables</code>	List tables in the given table bucket
<code>list_tags_for_resource</code>	Lists all of the tags applied to a specified Amazon S3 Tables resource
<code>put_table_bucket_encryption</code>	Sets the encryption configuration for a table bucket
<code>put_table_bucket_maintenance_configuration</code>	Creates a new maintenance configuration or replaces an existing maintenance
<code>put_table_bucket_metrics_configuration</code>	Sets the metrics configuration for a table bucket
<code>put_table_bucket_policy</code>	Creates a new table bucket policy or replaces an existing table bucket policy f
<code>put_table_bucket_replication</code>	Creates or updates the replication configuration for a table bucket
<code>put_table_bucket_storage_class</code>	Sets or updates the storage class configuration for a table bucket
<code>put_table_maintenance_configuration</code>	Creates a new maintenance configuration or replaces an existing maintenance
<code>put_table_policy</code>	Creates a new table policy or replaces an existing table policy for a table
<code>put_table_record_expiration_configuration</code>	Creates or updates the expiration configuration settings for records in a table,
<code>put_table_replication</code>	Creates or updates the replication configuration for a specific table
<code>rename_table</code>	Renames a table or a namespace
<code>tag_resource</code>	Applies one or more user-defined tags to an Amazon S3 Tables resource or up
<code>untag_resource</code>	Removes the specified user-defined tags from an Amazon S3 Tables resource
<code>update_table_metadata_location</code>	Updates the metadata location for a table

Examples

```
## Not run:
svc <- s3tables()
svc$create_namespace(
  Foo = 123
)

## End(Not run)
```

Description

Storage Gateway Service

Amazon FSx File Gateway is no longer available to new customers. Existing customers of FSx File Gateway can continue to use the service normally. For capabilities similar to FSx File Gateway, visit [this blog post](#).

Storage Gateway is the service that connects an on-premises software appliance with cloud-based storage to provide seamless and secure integration between an organization's on-premises IT environment and the Amazon Web Services storage infrastructure. The service enables you to securely upload data to the Amazon Web Services Cloud for cost effective backup and rapid disaster recovery.

Use the following links to get started using the *Storage Gateway Service API Reference*:

- [Storage Gateway required request headers](#): Describes the required headers that you must send with every POST request to Storage Gateway.
- [Signing requests](#): Storage Gateway requires that you authenticate every request you send; this topic describes how sign such a request.
- [Error responses](#): Provides reference information about Storage Gateway errors.
- [Operations in Storage Gateway](#): Contains detailed descriptions of all Storage Gateway operations, their request parameters, response elements, possible errors, and examples of requests and responses.
- [Storage Gateway endpoints and quotas](#): Provides a list of each Amazon Web Services Region and the endpoints available for use with Storage Gateway.

Storage Gateway resource IDs are in uppercase. When you use these resource IDs with the Amazon EC2 API, EC2 expects resource IDs in lowercase. You must change your resource ID to lowercase to use it with the EC2 API. For example, in Storage Gateway the ID for a volume might be `vol-AA22BB012345DAF670`. When you use this ID with the EC2 API, you must change it to `vol-aa22bb012345daf670`. Otherwise, the EC2 API might not behave as expected.

IDs for Storage Gateway volumes and Amazon EBS snapshots created from gateway volumes are changing to a longer format. Starting in December 2016, all new volumes and snapshots will be created with a 17-character string. Starting in April 2016, you will be able to use these longer IDs so you can test your systems with the new format. For more information, see [Longer EC2 and EBS resource IDs](#).

For example, a volume Amazon Resource Name (ARN) with the longer volume ID format looks like the following:

```
arn:aws:storagegateway:us-west-2:111122223333:gateway/sgw-12A3456B/volume/vol-1122AABCCDDEEFFG.
```

A snapshot ID with the longer ID format looks like the following: `snap-78e226633445566ee`.

For more information, see [Announcement: Heads-up – Longer Storage Gateway volume and snapshot IDs coming in 2016](#).

Usage

```
storagegateway(  
    config = list(),  
    credentials = list(),
```

```

    endpoint = NULL,
    region = NULL
)

```

Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> • credentials: <ul style="list-style-type: none"> – creds: <ul style="list-style-type: none"> * access_key_id: AWS access key ID * secret_access_key: AWS secret access key * session_token: AWS temporary session token – profile: The name of a profile to use. If not given, then the default profile is used. – anonymous: Set anonymous credentials. • endpoint: The complete URL to use for the constructed client. • region: The AWS Region used in instantiating the client. • close_connection: Immediately close all HTTP connections. • timeout: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds. • s3_force_path_style: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>. • sts_regional_endpoint: Set sts regional endpoint resolver to regional or legacy https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> • creds: <ul style="list-style-type: none"> – access_key_id: AWS access key ID – secret_access_key: AWS secret access key – session_token: AWS temporary session token • profile: The name of a profile to use. If not given, then the default profile is used. • anonymous: Set anonymous credentials.
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

Service syntax

```

svc <- storagegateway(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

Operations[activate_gateway](#)[add_cache](#)[add_tags_to_resource](#)[add_upload_buffer](#)[add_working_storage](#)[assign_tape_pool](#)[associate_file_system](#)[attach_volume](#)[cancel_archival](#)[cancel_cache_report](#)[cancel_retrieval](#)[create_cachedi_scsi_volume](#)[create_nfs_file_share](#)

Activates the gateway you previously deployed on your host

Configures one or more gateway local disks as cache for a gateway

Adds one or more tags to the specified resource

Configures one or more gateway local disks as upload buffer for a specified

Configures one or more gateway local disks as working storage for a gateway

Assigns a tape to a tape pool for archiving

Associate an Amazon FSx file system with the FSx File Gateway

Connects a volume to an iSCSI connection and then attaches the volume to t

Cancels archiving of a virtual tape to the virtual tape shelf (VTS) after the ar

Cancels generation of a specified cache report

Cancels retrieval of a virtual tape from the virtual tape shelf (VTS) to a gatew

Creates a cached volume on a specified cached volume gateway

Creates a Network File System (NFS) file share on an existing S3 File Gatew

create_smb_file_share	Creates a Server Message Block (SMB) file share on an existing S3 File Gateway
create_snapshot	Initiates a snapshot of a volume
create_snapshot_from_volume_recovery_point	Initiates a snapshot of a gateway from a volume recovery point
create_storedi_scsi_volume	Creates a volume on a specified gateway
create_tape_pool	Creates a new custom tape pool
create_tapes	Creates one or more virtual tapes
create_tape_with_barcode	Creates a virtual tape by using your own barcode
delete_automatic_tape_creation_policy	Deletes the automatic tape creation policy of a gateway
delete_bandwidth_rate_limit	Deletes the bandwidth rate limits of a gateway
delete_cache_report	Deletes the specified cache report and any associated tags from the Storage Gateway
delete_chap_credentials	Deletes Challenge-Handshake Authentication Protocol (CHAP) credentials for a gateway
delete_file_share	Deletes a file share from an S3 File Gateway
delete_gateway	Deletes a gateway
delete_snapshot_schedule	Deletes a snapshot of a volume
delete_tape	Deletes the specified virtual tape
delete_tape_archive	Deletes the specified virtual tape from the virtual tape shelf (VTS)
delete_tape_pool	Delete a custom tape pool
delete_volume	Deletes the specified storage volume that you previously created using the Storage Gateway
describe_availability_monitor_test	Returns information about the most recent high availability monitoring test for a gateway
describe_bandwidth_rate_limit	Returns the bandwidth rate limits of a gateway
describe_bandwidth_rate_limit_schedule	Returns information about the bandwidth rate limit schedule of a gateway
describe_cache	Returns information about the cache of a gateway
describe_cachedi_scsi_volumes	Returns a description of the gateway volumes specified in the request
describe_cache_report	Returns information about the specified cache report, including completion status
describe_chap_credentials	Returns an array of Challenge-Handshake Authentication Protocol (CHAP) credentials for a gateway
describe_file_system_associations	Gets the file system association information
describe_gateway_information	Returns metadata about a gateway such as its name, network interfaces, time zone, and so on
describe_maintenance_start_time	Returns your gateway's maintenance window schedule information, with valid start and end times
describe_nfs_file_shares	Gets a description for one or more Network File System (NFS) file shares from a gateway
describe_smb_file_shares	Gets a description for one or more Server Message Block (SMB) file shares from a gateway
describe_smb_settings	Gets a description of a Server Message Block (SMB) file share settings from a gateway
describe_snapshot_schedule	Describes the snapshot schedule for the specified gateway volume
describe_storedi_scsi_volumes	Returns the description of the gateway volumes specified in the request
describe_tape_archives	Returns a description of specified virtual tapes in the virtual tape shelf (VTS)
describe_tape_recovery_points	Returns a list of virtual tape recovery points that are available for the specified gateway
describe_tapes	Returns a description of virtual tapes that correspond to the specified Amazon S3 File Gateway
describe_upload_buffer	Returns information about the upload buffer of a gateway
describe_vtl_devices	Returns a description of virtual tape library (VTL) devices for the specified gateway
describe_working_storage	Returns information about the working storage of a gateway
detach_volume	Disconnects a volume from an iSCSI connection and then detaches the volume from the gateway
disable_gateway	Disables a tape gateway when the gateway is no longer functioning
disassociate_file_system	Disassociates an Amazon FSx file system from the specified gateway
evict_files_failing_upload	Starts a process that cleans the specified file share's cache of file entries that are failing to upload
join_domain	Adds a file gateway to an Active Directory domain
list_automatic_tape_creation_policies	Lists the automatic tape creation policies for a gateway
list_cache_reports	Returns a list of existing cache reports for all file shares associated with your gateway
list_file_shares	Gets a list of the file shares for a specific S3 File Gateway, or the list of file shares for all S3 File Gateways
list_file_system_associations	Gets a list of FileSystemAssociationSummary objects

<code>list_gateways</code>	Lists gateways owned by an Amazon Web Services account in an Amazon V
<code>list_local_disks</code>	Returns a list of the gateway's local disks
<code>list_tags_for_resource</code>	Lists the tags that have been added to the specified resource
<code>list_tape_pools</code>	Lists custom tape pools
<code>list_tapes</code>	Lists virtual tapes in your virtual tape library (VTL) and your virtual tape sh
<code>list_volume_initiators</code>	Lists iSCSI initiators that are connected to a volume
<code>list_volume_recovery_points</code>	Lists the recovery points for a specified gateway
<code>list_volumes</code>	Lists the iSCSI stored volumes of a gateway
<code>notify_when_uploaded</code>	Sends you notification through Amazon EventBridge when all files written t
<code>refresh_cache</code>	Refreshes the cached inventory of objects for the specified file share
<code>remove_tags_from_resource</code>	Removes one or more tags from the specified resource
<code>reset_cache</code>	Resets all cache disks that have encountered an error and makes the disks av
<code>retrieve_tape_archive</code>	Retrieves an archived virtual tape from the virtual tape shelf (VTS) to a tape
<code>retrieve_tape_recovery_point</code>	Retrieves the recovery point for the specified virtual tape
<code>set_local_console_password</code>	Sets the password for your VM local console
<code>set_smb_guest_password</code>	Sets the password for the guest user smbguest
<code>shutdown_gateway</code>	Shuts down a Tape Gateway or Volume Gateway
<code>start_availability_monitor_test</code>	Start a test that verifies that the specified gateway is configured for High Av
<code>start_cache_report</code>	Starts generating a report of the file metadata currently cached by an S3 File
<code>start_gateway</code>	Starts a gateway that you previously shut down (see ShutdownGateway)
<code>update_automatic_tape_creation_policy</code>	Updates the automatic tape creation policy of a gateway
<code>update_bandwidth_rate_limit</code>	Updates the bandwidth rate limits of a gateway
<code>update_bandwidth_rate_limit_schedule</code>	Updates the bandwidth rate limit schedule for a specified gateway
<code>update_chap_credentials</code>	Updates the Challenge-Handshake Authentication Protocol (CHAP) creden
<code>update_file_system_association</code>	Updates a file system association
<code>update_gateway_information</code>	Updates a gateway's metadata, which includes the gateway's name, time zon
<code>update_gateway_software_now</code>	Updates the gateway virtual machine (VM) software
<code>update_maintenance_start_time</code>	Updates a gateway's maintenance window schedule, with settings for month
<code>update_nfs_file_share</code>	Updates a Network File System (NFS) file share
<code>update_smb_file_share</code>	Updates a Server Message Block (SMB) file share
<code>update_smb_file_share_visibility</code>	Controls whether the shares on an S3 File Gateway are visible in a net view
<code>update_smb_local_groups</code>	Updates the list of Active Directory users and groups that have special perm
<code>update_smb_security_strategy</code>	Updates the SMB security strategy level for an Amazon S3 file gateway
<code>update_snapshot_schedule</code>	Updates a snapshot schedule configured for a gateway volume
<code>update_vtl_device_type</code>	Updates the type of medium changer in a tape gateway

Examples

```
## Not run:
svc <- storagegateway()
# Activates the gateway you previously deployed on your host.
svc$activate_gateway(
  ActivationKey = "29AV1-30FV9-VVIUB-NKT0I-LR06V",
  GatewayName = "My_Gateway",
  GatewayRegion = "us-east-1",
  GatewayTimezone = "GMT-12:00",
  GatewayType = "STORED",
```

```
    MediumChangerType = "AWS-Gateway-VTL",  
    TapeDriveType = "IBM-ULT3580-TD5"  
)  
  
## End(Not run)
```

Index

abort_multipart_read_set_upload, [26](#)
abort_multipart_upload, [23](#), [33](#)
abort_vault_lock, [23](#)
accept_share, [26](#)
activate_gateway, [48](#)
add_cache, [48](#)
add_tags_to_resource, [48](#)
add_tags_to_vault, [23](#)
add_upload_buffer, [48](#)
add_working_storage, [48](#)
assign_tape_pool, [48](#)
associate_access_grants_identity_center, [38](#)
associate_backup_vault_mpa_approval_team, [4](#)
associate_file_system, [48](#)
associate_file_system_aliases, [19](#)
associate_user_to_permission_group, [17](#)
attach_volume, [48](#)

backup, [2](#)
batch_delete_read_set, [26](#)

cancel_annotation_import_job, [26](#)
cancel_archival, [48](#)
cancel_cache_report, [48](#)
cancel_data_repository_task, [19](#)
cancel_legal_hold, [4](#)
cancel_retrieval, [48](#)
cancel_run, [26](#)
cancel_run_batch, [26](#)
cancel_variant_import_job, [26](#)
complete_multipart_read_set_upload, [26](#)
complete_multipart_upload, [23](#), [33](#)
complete_snapshot, [11](#)
complete_vault_lock, [23](#)
copy_backup, [19](#)
copy_object, [33](#)
copy_snapshot_and_update_volume, [19](#)
create_access_grant, [38](#)
create_access_grants_instance, [38](#)
create_access_grants_location, [38](#)
create_access_point, [14](#), [38](#)
create_access_point_for_object_lambda, [38](#)
create_and_attach_s3_access_point, [19](#)
create_annotation_store, [26](#)
create_annotation_store_version, [26](#)
create_backup, [19](#)
create_backup_plan, [4](#)
create_backup_selection, [4](#)
create_backup_vault, [4](#)
create_bucket, [33](#), [38](#)
create_bucket_metadata_configuration, [33](#)
create_bucket_metadata_table_configuration, [33](#)
create_cachedi_scsi_volume, [48](#)
create_changeset, [17](#)
create_configuration, [26](#)
create_data_repository_association, [19](#)
create_data_repository_task, [19](#)
create_data_view, [17](#)
create_dataset, [17](#)
create_endpoint, [42](#)
create_file_cache, [20](#)
create_file_system, [14](#), [20](#)
create_file_system_from_backup, [20](#)
create_framework, [4](#)
create_job, [38](#)
create_legal_hold, [4](#)
create_lifecycle_policy, [9](#)
create_logically_air_gapped_backup_vault, [4](#)
create_mount_target, [14](#)
create_multi_region_access_point, [38](#)
create_multipart_read_set_upload, [26](#)
create_multipart_upload, [33](#)
create_namespace, [44](#)

- create_nfs_file_share, 48
- create_permission_group, 17
- create_reference_store, 26
- create_replication_configuration, 14
- create_report_plan, 4
- create_restore_access_backup_vault, 4
- create_restore_testing_plan, 4
- create_restore_testing_selection, 4
- create_rule, 31
- create_run_cache, 26
- create_run_group, 26
- create_sequence_store, 26
- create_session, 33
- create_share, 26
- create_smb_file_share, 49
- create_snapshot, 20, 49
- create_snapshot_from_volume_recovery_point, 49
- create_storage_lens_group, 38
- create_storage_virtual_machine, 20
- create_storedi_scsi_volume, 49
- create_table, 44
- create_table_bucket, 44
- create_tags, 14
- create_tape_pool, 49
- create_tape_with_barcode, 49
- create_tapes, 49
- create_tiering_configuration, 4
- create_user, 17
- create_variant_store, 26
- create_vault, 23
- create_volume, 20
- create_volume_from_backup, 20
- create_workflow, 26
- create_workflow_version, 26

- delete_access_grant, 38
- delete_access_grants_instance, 38
- delete_access_grants_instance_resource_policy, 38
- delete_access_grants_location, 38
- delete_access_point, 14, 38
- delete_access_point_for_object_lambda, 38
- delete_access_point_policy, 38
- delete_access_point_policy_for_object_lambda, 38
- delete_access_point_scope, 38
- delete_annotation_store, 26
- delete_annotation_store_versions, 26
- delete_archive, 23
- delete_automatic_tape_creation_policy, 49
- delete_backup, 20
- delete_backup_plan, 4
- delete_backup_selection, 4
- delete_backup_vault, 4
- delete_backup_vault_access_policy, 4
- delete_backup_vault_lock_configuration, 4
- delete_backup_vault_notifications, 4
- delete_bandwidth_rate_limit, 49
- delete_batch, 26
- delete_bucket, 33, 38
- delete_bucket_analytics_configuration, 33
- delete_bucket_cors, 33
- delete_bucket_encryption, 33
- delete_bucket_intelligent_tiering_configuration, 33
- delete_bucket_inventory_configuration, 33
- delete_bucket_lifecycle, 33
- delete_bucket_lifecycle_configuration, 38
- delete_bucket_metadata_configuration, 33
- delete_bucket_metadata_table_configuration, 33
- delete_bucket_metrics_configuration, 33
- delete_bucket_ownership_controls, 33
- delete_bucket_policy, 33, 38
- delete_bucket_replication, 33, 38
- delete_bucket_tagging, 33, 38
- delete_bucket_website, 33
- delete_cache_report, 49
- delete_chap_credentials, 49
- delete_configuration, 26
- delete_data_repository_association, 20
- delete_dataset, 17
- delete_endpoint, 42
- delete_file_cache, 20
- delete_file_share, 49
- delete_file_system, 14, 20
- delete_file_system_policy, 14
- delete_framework, 4

- delete_gateway, [49](#)
- delete_job_tagging, [38](#)
- delete_lifecycle_policy, [9](#)
- delete_mount_target, [14](#)
- delete_multi_region_access_point, [38](#)
- delete_namespace, [44](#)
- delete_object, [33](#)
- delete_object_tagging, [33](#)
- delete_objects, [33](#)
- delete_permission_group, [17](#)
- delete_public_access_block, [33](#), [38](#)
- delete_recovery_point, [5](#)
- delete_reference, [26](#)
- delete_reference_store, [26](#)
- delete_replication_configuration, [14](#)
- delete_report_plan, [5](#)
- delete_restore_testing_plan, [5](#)
- delete_restore_testing_selection, [5](#)
- delete_rule, [31](#)
- delete_run, [26](#)
- delete_run_batch, [26](#)
- delete_run_cache, [26](#)
- delete_run_group, [27](#)
- delete_s3_access_policy, [27](#)
- delete_sequence_store, [27](#)
- delete_share, [27](#)
- delete_snapshot, [20](#)
- delete_snapshot_schedule, [49](#)
- delete_storage_lens_configuration, [38](#)
- delete_storage_lens_configuration_tagging, [38](#)
- delete_storage_lens_group, [38](#)
- delete_storage_virtual_machine, [20](#)
- delete_table, [44](#)
- delete_table_bucket, [44](#)
- delete_table_bucket_encryption, [44](#)
- delete_table_bucket_metrics_configuration, [44](#)
- delete_table_bucket_policy, [44](#)
- delete_table_bucket_replication, [44](#)
- delete_table_policy, [44](#)
- delete_table_replication, [44](#)
- delete_tags, [14](#)
- delete_tape, [49](#)
- delete_tape_archive, [49](#)
- delete_tape_pool, [49](#)
- delete_tiering_configuration, [5](#)
- delete_variant_store, [27](#)
- delete_vault, [23](#)
- delete_vault_access_policy, [23](#)
- delete_vault_notifications, [23](#)
- delete_volume, [20](#), [49](#)
- delete_workflow, [27](#)
- delete_workflow_version, [27](#)
- describe_access_points, [14](#)
- describe_account_preferences, [14](#)
- describe_availability_monitor_test, [49](#)
- describe_backup_job, [5](#)
- describe_backup_policy, [14](#)
- describe_backup_vault, [5](#)
- describe_backups, [20](#)
- describe_bandwidth_rate_limit, [49](#)
- describe_bandwidth_rate_limit_schedule, [49](#)
- describe_cache, [49](#)
- describe_cache_report, [49](#)
- describe_cachedi_scsi_volumes, [49](#)
- describe_chap_credentials, [49](#)
- describe_copy_job, [5](#)
- describe_data_repository_associations, [20](#)
- describe_data_repository_tasks, [20](#)
- describe_file_caches, [20](#)
- describe_file_system_aliases, [20](#)
- describe_file_system_associations, [49](#)
- describe_file_system_policy, [14](#)
- describe_file_systems, [14](#), [20](#)
- describe_framework, [5](#)
- describe_gateway_information, [49](#)
- describe_global_settings, [5](#)
- describe_job, [23](#), [38](#)
- describe_lifecycle_configuration, [14](#)
- describe_maintenance_start_time, [49](#)
- describe_mount_target_security_groups, [14](#)
- describe_mount_targets, [14](#)
- describe_multi_region_access_point_operation, [38](#)
- describe_nfs_file_shares, [49](#)
- describe_protected_resource, [5](#)
- describe_recovery_point, [5](#)
- describe_region_settings, [5](#)
- describe_replication_configurations, [14](#)
- describe_report_job, [5](#)
- describe_report_plan, [5](#)

- describe_restore_job, [5](#)
- describe_s3_access_point_attachments, [20](#)
- describe_scan_job, [5](#)
- describe_shared_vpc_configuration, [20](#)
- describe_smb_file_shares, [49](#)
- describe_smb_settings, [49](#)
- describe_snapshot_schedule, [49](#)
- describe_snapshots, [20](#)
- describe_storage_virtual_machines, [20](#)
- describe_storedi_scsi_volumes, [49](#)
- describe_tags, [14](#)
- describe_tape_archives, [49](#)
- describe_tape_recovery_points, [49](#)
- describe_tapes, [49](#)
- describe_upload_buffer, [49](#)
- describe_vault, [23](#)
- describe_volumes, [20](#)
- describe_vtl_devices, [49](#)
- describe_working_storage, [49](#)
- detach_and_delete_s3_access_point, [20](#)
- detach_volume, [49](#)
- disable_gateway, [49](#)
- disable_user, [17](#)
- disassociate_backup_vault_mpa_approval_team, [5](#)
- disassociate_file_system, [49](#)
- disassociate_file_system_aliases, [20](#)
- disassociate_recovery_point, [5](#)
- disassociate_recovery_point_from_parent, [5](#)
- disassociate_user_from_permission_group, [17](#)
- dissociate_access_grants_identity_center, [38](#)
- d1m, [7](#)
- download_file, [33](#)

- ebs, [9](#)
- efs, [12](#)
- enable_user, [17](#)
- evict_files_failing_upload, [49](#)
- export_backup_plan_template, [5](#)

- finspacedata, [15](#)
- fsx, [18](#)

- generate_presigned_url, [33](#)
- get_access_grant, [38](#)
- get_access_grants_instance, [38](#)
- get_access_grants_instance_for_prefix, [38](#)
- get_access_grants_instance_resource_policy, [38](#)
- get_access_grants_location, [38](#)
- get_access_point, [38](#)
- get_access_point_configuration_for_object_lambda, [38](#)
- get_access_point_for_object_lambda, [38](#)
- get_access_point_policy, [38](#)
- get_access_point_policy_for_object_lambda, [38](#)
- get_access_point_policy_status, [38](#)
- get_access_point_policy_status_for_object_lambda, [38](#)
- get_access_point_scope, [38](#)
- get_annotation_import_job, [27](#)
- get_annotation_store, [27](#)
- get_annotation_store_version, [27](#)
- get_backup_plan, [5](#)
- get_backup_plan_from_json, [5](#)
- get_backup_plan_from_template, [5](#)
- get_backup_selection, [5](#)
- get_backup_vault_access_policy, [5](#)
- get_backup_vault_notifications, [5](#)
- get_batch, [27](#)
- get_bucket, [38](#)
- get_bucket_abac, [33](#)
- get_bucket_accelerate_configuration, [33](#)
- get_bucket_acl, [34](#)
- get_bucket_analytics_configuration, [34](#)
- get_bucket_cors, [34](#)
- get_bucket_encryption, [34](#)
- get_bucket_intelligent_tiering_configuration, [34](#)
- get_bucket_inventory_configuration, [34](#)
- get_bucket_lifecycle, [34](#)
- get_bucket_lifecycle_configuration, [34](#)
- get_bucket_location, [34](#)
- get_bucket_logging, [34](#)
- get_bucket_metadata_configuration, [34](#)
- get_bucket_metadata_table_configuration, [34](#)
- get_bucket_metrics_configuration, [34](#)
- get_bucket_notification, [34](#)

- get_bucket_notification_configuration, 34
- get_bucket_ownership_controls, 34
- get_bucket_policy, 34, 39
- get_bucket_policy_status, 34
- get_bucket_replication, 34, 39
- get_bucket_request_payment, 34
- get_bucket_tagging, 34, 39
- get_bucket_versioning, 34, 39
- get_bucket_website, 34
- get_changeset, 17
- get_configuration, 27
- get_data_access, 39
- get_data_retrieval_policy, 23
- get_data_view, 17
- get_dataset, 17
- get_external_data_view_access_details, 17
- get_job_output, 23
- get_job_tagging, 39
- get_legal_hold, 5
- get_lifecycle_policies, 9
- get_lifecycle_policy, 9
- get_multi_region_access_point, 39
- get_multi_region_access_point_policy, 39
- get_multi_region_access_point_policy_status, 39
- get_multi_region_access_point_routes, 39
- get_namespace, 44
- get_object, 34
- get_object_acl, 34
- get_object_attributes, 34
- get_object_legal_hold, 34
- get_object_lock_configuration, 34
- get_object_retention, 34
- get_object_tagging, 34
- get_object_torrent, 34
- get_permission_group, 17
- get_pitr_malware_scan_results, 5
- get_programmatic_access_credentials, 17
- get_public_access_block, 34, 39
- get_read_set, 27
- get_read_set_activation_job, 27
- get_read_set_export_job, 27
- get_read_set_import_job, 27
- get_read_set_metadata, 27
- get_recovery_point_index_details, 5
- get_recovery_point_restore_metadata, 5
- get_reference, 27
- get_reference_import_job, 27
- get_reference_metadata, 27
- get_reference_store, 27
- get_restore_job_metadata, 5
- get_restore_testing_inferred_metadata, 5
- get_restore_testing_plan, 5
- get_restore_testing_selection, 5
- get_rule, 31
- get_run, 27
- get_run_cache, 27
- get_run_group, 27
- get_run_task, 27
- get_s3_access_policy, 27
- get_sequence_store, 27
- get_share, 27
- get_snapshot_block, 11
- get_storage_lens_configuration, 39
- get_storage_lens_configuration_tagging, 39
- get_storage_lens_group, 39
- get_supported_resource_types, 5
- get_table, 44
- get_table_bucket, 44
- get_table_bucket_encryption, 44
- get_table_bucket_maintenance_configuration, 44
- get_table_bucket_metrics_configuration, 44
- get_table_bucket_policy, 44
- get_table_bucket_replication, 44
- get_table_bucket_storage_class, 45
- get_table_encryption, 45
- get_table_maintenance_configuration, 45
- get_table_maintenance_job_status, 45
- get_table_metadata_location, 45
- get_table_policy, 45
- get_table_record_expiration_configuration, 45
- get_table_record_expiration_job_status, 45
- get_table_replication, 45
- get_table_replication_status, 45

- get_table_storage_class, [45](#)
- get_tiering_configuration, [5](#)
- get_user, [17](#)
- get_variant_import_job, [27](#)
- get_variant_store, [27](#)
- get_vault_access_policy, [23](#)
- get_vault_lock, [23](#)
- get_vault_notifications, [23](#)
- get_workflow, [27](#)
- get_workflow_version, [27](#)
- get_working_location, [17](#)
- glacier, [21](#)

- head_bucket, [34](#)
- head_object, [34](#)

- initiate_job, [23](#)
- initiate_multipart_upload, [23](#)
- initiate_vault_lock, [23](#)

- join_domain, [49](#)

- list_access_grants, [39](#)
- list_access_grants_instances, [39](#)
- list_access_grants_locations, [39](#)
- list_access_points, [39](#)
- list_access_points_for_directory_buckets, [39](#)
- list_access_points_for_object_lambda, [39](#)
- list_annotation_import_jobs, [27](#)
- list_annotation_store_versions, [27](#)
- list_annotation_stores, [27](#)
- list_automatic_tape_creation_policies, [49](#)
- list_backup_job_summaries, [5](#)
- list_backup_jobs, [5](#)
- list_backup_plan_templates, [5](#)
- list_backup_plan_versions, [5](#)
- list_backup_plans, [5](#)
- list_backup_selections, [5](#)
- list_backup_vaults, [5](#)
- list_batch, [27](#)
- list_bucket_analytics_configurations, [34](#)
- list_bucket_intelligent_tiering_configuration, [34](#)
- list_bucket_inventory_configurations, [34](#)
- list_bucket_metrics_configurations, [34](#)
- list_buckets, [34](#)
- list_cache_reports, [49](#)
- list_caller_access_grants, [39](#)
- list_changed_blocks, [11](#)
- list_changesets, [17](#)
- list_configurations, [27](#)
- list_copy_job_summaries, [5](#)
- list_copy_jobs, [5](#)
- list_data_views, [17](#)
- list_datasets, [17](#)
- list_directory_buckets, [34](#)
- list_endpoints, [42](#)
- list_file_shares, [49](#)
- list_file_system_associations, [49](#)
- list_frameworks, [5](#)
- list_gateways, [50](#)
- list_indexed_recovery_points, [5](#)
- list_jobs, [23](#), [39](#)
- list_legal_holds, [6](#)
- list_local_disks, [50](#)
- list_multi_region_access_points, [39](#)
- list_multipart_read_set_uploads, [27](#)
- list_multipart_uploads, [23](#), [34](#)
- list_namespaces, [45](#)
- list_object_versions, [34](#)
- list_objects, [34](#)
- list_objects_v2, [34](#)
- list_outposts_with_s3, [42](#)
- list_parts, [23](#), [34](#)
- list_permission_groups, [17](#)
- list_permission_groups_by_user, [17](#)
- list_protected_resources, [6](#)
- list_protected_resources_by_backup_vault, [6](#)
- list_provisioned_capacity, [23](#)
- list_read_set_activation_jobs, [27](#)
- list_read_set_export_jobs, [27](#)
- list_read_set_import_jobs, [27](#)
- list_read_set_upload_parts, [27](#)
- list_read_sets, [27](#)
- list_recovery_points_by_backup_vault, [6](#)
- list_recovery_points_by_legal_hold, [6](#)
- list_recovery_points_by_resource, [6](#)
- list_reference_import_jobs, [27](#)
- list_reference_stores, [27](#)
- list_references, [27](#)

- list_regional_buckets, [39](#)
- list_report_jobs, [6](#)
- list_report_plans, [6](#)
- list_restore_access_backup_vaults, [6](#)
- list_restore_job_summaries, [6](#)
- list_restore_jobs, [6](#)
- list_restore_jobs_by_protected_resource, [6](#)
- list_restore_testing_plans, [6](#)
- list_restore_testing_selections, [6](#)
- list_rules, [31](#)
- list_run_caches, [27](#)
- list_run_groups, [27](#)
- list_run_tasks, [28](#)
- list_runs, [28](#)
- list_runs_in_batch, [28](#)
- list_scan_job_summaries, [6](#)
- list_scan_jobs, [6](#)
- list_sequence_stores, [28](#)
- list_shared_endpoints, [42](#)
- list_shares, [28](#)
- list_snapshot_blocks, [11](#)
- list_storage_lens_configurations, [39](#)
- list_storage_lens_groups, [39](#)
- list_table_buckets, [45](#)
- list_tables, [45](#)
- list_tags, [6](#)
- list_tags_for_resource, [9](#), [14](#), [20](#), [28](#), [31](#), [39](#), [45](#), [50](#)
- list_tags_for_vault, [23](#)
- list_tape_pools, [50](#)
- list_tapes, [50](#)
- list_tiering_configurations, [6](#)
- list_users, [17](#)
- list_users_by_permission_group, [17](#)
- list_variant_import_jobs, [28](#)
- list_variant_stores, [28](#)
- list_vaults, [23](#)
- list_volume_initiators, [50](#)
- list_volume_recovery_points, [50](#)
- list_volumes, [50](#)
- list_workflow_versions, [28](#)
- list_workflows, [28](#)
- lock_rule, [31](#)
- modify_mount_target_security_groups, [14](#)
- notify_when_uploaded, [50](#)
- omics, [24](#)
- purchase_provisioned_capacity, [23](#)
- put_access_grants_instance_resource_policy, [39](#)
- put_access_point_configuration_for_object_lambda, [39](#)
- put_access_point_policy, [39](#)
- put_access_point_policy_for_object_lambda, [39](#)
- put_access_point_scope, [39](#)
- put_account_preferences, [14](#)
- put_backup_policy, [14](#)
- put_backup_vault_access_policy, [6](#)
- put_backup_vault_lock_configuration, [6](#)
- put_backup_vault_notifications, [6](#)
- put_bucket_abac, [34](#)
- put_bucket_accelerate_configuration, [34](#)
- put_bucket_acl, [34](#)
- put_bucket_analytics_configuration, [35](#)
- put_bucket_cors, [35](#)
- put_bucket_encryption, [35](#)
- put_bucket_intelligent_tiering_configuration, [35](#)
- put_bucket_inventory_configuration, [35](#)
- put_bucket_lifecycle, [35](#)
- put_bucket_lifecycle_configuration, [35](#), [39](#)
- put_bucket_logging, [35](#)
- put_bucket_metrics_configuration, [35](#)
- put_bucket_notification, [35](#)
- put_bucket_notification_configuration, [35](#)
- put_bucket_ownership_controls, [35](#)
- put_bucket_policy, [35](#), [39](#)
- put_bucket_replication, [35](#), [39](#)
- put_bucket_request_payment, [35](#)
- put_bucket_tagging, [35](#), [39](#)
- put_bucket_versioning, [35](#), [39](#)
- put_bucket_website, [35](#)
- put_file_system_policy, [14](#)
- put_job_tagging, [39](#)
- put_lifecycle_configuration, [14](#)
- put_multi_region_access_point_policy, [39](#)
- put_object, [35](#)
- put_object_acl, [35](#)
- put_object_legal_hold, [35](#)

- put_object_lock_configuration, 35
- put_object_retention, 35
- put_object_tagging, 35
- put_public_access_block, 35, 39
- put_restore_validation_result, 6
- put_s3_access_policy, 28
- put_snapshot_block, 11
- put_storage_lens_configuration, 39
- put_storage_lens_configuration_tagging, 39
- put_table_bucket_encryption, 45
- put_table_bucket_maintenance_configuration, 45
- put_table_bucket_metrics_configuration, 45
- put_table_bucket_policy, 45
- put_table_bucket_replication, 45
- put_table_bucket_storage_class, 45
- put_table_maintenance_configuration, 45
- put_table_policy, 45
- put_table_record_expiration_configuration, 45
- put_table_replication, 45

- recyclebin, 28
- refresh_cache, 50
- release_file_system_nfs_v3_locks, 20
- remove_tags_from_resource, 50
- remove_tags_from_vault, 23
- rename_object, 35
- rename_table, 45
- reset_cache, 50
- reset_user_password, 17
- restore_object, 35
- restore_volume_from_snapshot, 20
- retrieve_tape_archive, 50
- retrieve_tape_recovery_point, 50
- revoke_restore_access_backup_vault, 6

- s3, 31
- s3control, 36
- s3outposts, 40
- s3tables, 42
- select_object_content, 35
- set_data_retrieval_policy, 24
- set_local_console_password, 50
- set_smb_guest_password, 50
- set_vault_access_policy, 24

- set_vault_notifications, 24
- shutdown_gateway, 50
- start_annotation_import_job, 28
- start_availability_monitor_test, 50
- start_backup_job, 6
- start_cache_report, 50
- start_copy_job, 6
- start_gateway, 50
- start_misconfigured_state_recovery, 20
- start_read_set_activation_job, 28
- start_read_set_export_job, 28
- start_read_set_import_job, 28
- start_reference_import_job, 28
- start_report_job, 6
- start_restore_job, 6
- start_run, 28
- start_run_batch, 28
- start_scan_job, 6
- start_snapshot, 11
- start_variant_import_job, 28
- stop_backup_job, 6
- storagegateway, 45
- submit_multi_region_access_point_routes, 39

- tag_resource, 6, 9, 14, 20, 28, 31, 39, 45

- unlock_rule, 31
- untag_resource, 6, 9, 14, 20, 28, 31, 39, 45
- update_access_grants_location, 39
- update_annotation_store, 28
- update_annotation_store_version, 28
- update_automatic_tape_creation_policy, 50
- update_backup_plan, 6
- update_bandwidth_rate_limit, 50
- update_bandwidth_rate_limit_schedule, 50
- update_bucket_metadata_inventory_table_configuration, 35
- update_bucket_metadata_journal_table_configuration, 35
- update_changeset, 17
- update_chap_credentials, 50
- update_data_repository_association, 20
- update_dataset, 17
- update_file_cache, 20
- update_file_system, 14, 20
- update_file_system_association, 50

update_file_system_protection, [14](#)
update_framework, [6](#)
update_gateway_information, [50](#)
update_gateway_software_now, [50](#)
update_global_settings, [6](#)
update_job_priority, [39](#)
update_job_status, [39](#)
update_lifecycle_policy, [9](#)
update_maintenance_start_time, [50](#)
update_nfs_file_share, [50](#)
update_object_encryption, [35](#)
update_permission_group, [17](#)
update_recovery_point_index_settings,
[6](#)
update_recovery_point_lifecycle, [6](#)
update_region_settings, [6](#)
update_report_plan, [6](#)
update_restore_testing_plan, [6](#)
update_restore_testing_selection, [6](#)
update_rule, [31](#)
update_run_cache, [28](#)
update_run_group, [28](#)
update_sequence_store, [28](#)
update_shared_vpc_configuration, [20](#)
update_smb_file_share, [50](#)
update_smb_file_share_visibility, [50](#)
update_smb_local_groups, [50](#)
update_smb_security_strategy, [50](#)
update_snapshot, [20](#)
update_snapshot_schedule, [50](#)
update_storage_lens_group, [40](#)
update_storage_virtual_machine, [20](#)
update_table_metadata_location, [45](#)
update_tiering_configuration, [6](#)
update_user, [17](#)
update_variant_store, [28](#)
update_volume, [20](#)
update_vtl_device_type, [50](#)
update_workflow, [28](#)
update_workflow_version, [28](#)
upload_archive, [24](#)
upload_multipart_part, [24](#)
upload_part, [35](#)
upload_part_copy, [35](#)
upload_read_set_part, [28](#)

write_get_object_response, [35](#)