

# Package ‘postcards’

May 9, 2026

**Title** Create Beautiful, Simple Personal Websites

**Version** 0.2.3

**Description** A collection of R Markdown templates for creating simple and easy to personalize single page websites.

**License** MIT + file LICENSE

**URL** <https://github.com/seankross/postcards>

**BugReports** <https://github.com/seankross/postcards/issues>

**Encoding** UTF-8

**RoxygenNote** 7.1.2

**Imports** utils, rmarkdown, rstudioapi

**Suggests** testthat

**NeedsCompilation** no

**Author** Sean Kross [aut, cre] (ORCID: <<https://orcid.org/0000-0001-5215-0316>>)

**Maintainer** Sean Kross <[sean@seankross.com](mailto:sean@seankross.com)>

**Repository** CRAN

**Date/Publication** 2022-01-07 03:10:02 UTC

## Contents

create_postcard . . . . .	2
jolla . . . . .	3
<b>Index</b>	<b>4</b>

---

create_postcard	<i>Create a new postcard</i>
-----------------	------------------------------

---

### Description

Create (and optionally edit) a new postcard.

### Usage

```
create_postcard(  
  file = "index.Rmd",  
  template = "jolla",  
  create_dir = FALSE,  
  edit = TRUE,  
  create_image = TRUE  
)
```

### Arguments

file	File name for the draft
template	Template to use as the basis for the draft. This is either the full path to a template directory or the name of a template directory within the rmarkdown/templates directory of a package.
create_dir	TRUE to create a new directory for the postcard (defaults to FALSE).
edit	TRUE to edit the template immediately
create_image	TRUE to create a placeholder image (defaults to TRUE).

### Details

Valid values for the template argument include "jolla", "jolla-blue", "trestles", "onofre", and "solana".

### Examples

```
## Not run:  
  
postcards::create_postcard(template = "jolla")  
postcards::create_postcard(template = "jolla-blue")  
postcards::create_postcard(template = "trestles")  
postcards::create_postcard(template = "onofre")  
postcards::create_postcard(template = "solana")  
  
## End(Not run)
```

---

jolla

*Postcards templates*

---

### Description

Postcards templates

### Usage

```
jolla(css = NULL, includes = NULL, ...)
```

```
jolla_blue(css = NULL, includes = NULL, ...)
```

```
trestles(css = NULL, includes = NULL, ...)
```

```
onofre(css = NULL, includes = NULL, ...)
```

```
solana(css = NULL, includes = NULL, ...)
```

### Arguments

- |                       |   |
|-----------------------|---|
| <code>css</code>      | CSS and/or Sass files to include. Files with an extension of <code>.sass</code> or <code>.scss</code> are compiled to CSS via <code>sass::sass()</code> . Also, if there is a <code>bslib::bs_theme()</code> object, Sass code may reference the relevant Bootstrap Sass variables, functions, mixins, etc. |
| <code>includes</code> | Named list of additional content to include within the document (typically created using the <code>includes</code> function).   |
| <code>...</code>      | Additional arguments passed to <code>rmarkdown::html_document()</code>  |

# Index

`bslib::bs_theme()`, 3

`create_postcard`, 2

`includes`, 3

`jolla`, 3

`jolla_blue(jolla)`, 3

`onofre(jolla)`, 3

`solana(jolla)`, 3

`trestles(jolla)`, 3